

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER

SINGLE
ZONE ☐

MULTIPLE
ZONE ☒

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface

1,764' FNL, 656' FEL SE/NE

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

43.9 miles south of Vernal, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

16. NO. OF ACRES IN LEASE

2,480

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40 acres

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

5,660'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4,898' GL

Est. 4,913' KB

22. APPROX. DATE WORK WILL START*

5. LEASE DESIGNATION AND SERIAL NO.

U-806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Wonsits Valley Federal

8. FARM OR LEASE NAME

Wonsits Valley

9. WELL NO.

144

10. FIELD AND POOL, OR WILDCAT

Wonsits Green River
~~Wonsits Valley~~

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA

Sec. 10, T8S, R21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9-5/8"	36#	500'	To Surface
8-3/4"	7"	23#	5,660'	To Surface

It is proposed to drill this development well to a depth of 5,660' to test the Green River formation.

Attachments: Certified Plat
Drilling Program
Chevron Class III BOPE
Geologic Program
Multipoint Surface Use Plan

Completion procedure to be submitted by Sundry Notice.

RECEIVED

AUG 19 1987

DIVISION OF OIL
GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

J. A. Watson

TITLE

Office Assistant

DATE

August 12, 1987

(This space for Federal or State office use)

PERMIT NO.

43-047-31807

APPROVAL DATE

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE: 8-31-87

BY: John R. Boye


WELL SPACING: R615-2-3

*See Instructions On Reverse Side

T8S, R21E, S.L.B.&M.

PROJECT
CHEVRON U.S.A. INC.

Well location, W.V.U.F. #144
located as shown in the SE1/4 NE1/4
Section 10, T8S, R21E, S.L.B. & M.
Uintah County, Utah.



■ = SECTION CORNERS LOCATED



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. Marshall
REGISTERED LAND SURVEYOR
REGISTRATION NO 2454
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	12/30/86
PARTY	DA RP <i>DA</i> RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	CHEVRON U.S.A.

DRILLING PROGRAM

Field Wonsits Valley Well WVFU #144 ~~Exp~~/Dev Dev.

Location Sec. 10, T8S, R21E, Uintah Co., Utah

Drill X Deepen Elevations: GL 4898' KB Est. 4913'

~~Directional~~/Straight Hole: Proposed Measured TD 5660 TVD 5660
KOP NA Build NA Max. Angle NA Avg. Angle NA
Target Location NA Bearing from Surface NA

1. Conductor Hole

Hole Size 26" Proposed Depth 60' Casing Size, Weight & Grade 16" H-40

2. Surface Hole

Hole Size 12 $\frac{1}{4}$ " Proposed Depth 500' BOPE None

Mud Program:	Type	MW	FV	WL	Other
	<u>Gel-Water</u>	<u>± 8.5</u>	<u>-</u>	<u>-</u>	<u>-</u>

Potential Hazards: None

Electric Logging Program: None

Core/DST Program: None

Casing Program:

<u>Size</u>	<u>Grade</u>	<u>Weight</u>	<u>Thread</u>	<u>Section Length</u>
<u>9-5/8"</u>	<u>K-55</u>	<u>36#/Ft</u>	<u>ST&C</u>	<u>500'</u>

Cement Program: Lead Slurry NA

Tail Slurry Class H w/2% CaCl₂ - 15.6 ppg

WOC Time 8 hrs. Casing Test 1000 psi Shoe test MWE - PP

3. Intermediate Hole

Hole Size NA Proposed Depth BOPE

Mud Program:	Type	MW	FV	WL	Other
--------------	------	----	----	----	-------

Potential Hazards:

Electric Logging Program:

Core/DST Program:

Casing Program:

<u>Size</u>	<u>Grade</u>	<u>Weight</u>	<u>Thread</u>	<u>Section Length</u>
-------------	--------------	---------------	---------------	-----------------------

Cement Program: Lead Slurry

Tail Slurry

WOC Time hrs. Casing Test psi Shoe test MWE PP

4. Oil String/Liner Hole

Hole Size 8-3/4" Proposed Depth 5660' BOPE Chevron Class III - 3000 psi W.P.
Mud Program: Type MW FV WL Other
Gel-Water ±8.6 - 500-2500'
Gel-Water-Chem ±9.0 40 ±15cc 2500-TD
Potential Hazards: Lost circulation
Electric Logging Program: As per attached Geologic Program
Core/DST Program: None
Casing Program:
Size 7" Grade K-55 Weight 28#/Ft. Thread 1T&C Section Length 5660
Cement Program: Lead Slurry Class H w/16% gel - 12.6 ppg - Tailored for depth & temp.
Tail Slurry Class H - 15.6 ppg - Tailored for depth & temp.
WOC Time 12 hrs. Casing Test 1500 psi

5. Auxiliary Equipment

Mud Logging Unit @ 2000' Rotating Head @ -
Geolograph @ Spud Degasser @ -
Visulogger @ - Desilter @ Spud
Adj. Choke @ 500' Centrifuge @ -
PVT & Flowmeter @ Spud Mud Cleaner @ -
Trip Tank @ Spud H₂S Safety Equip. @ -
Other: Full opening drill pipe safety valve, inside BOP, upper and lower kelly cock
valve at spud.

6. Drill String Design

Surface Hole:
BHA Bit, 1-8" DC, Stab, 2-8" DC's, X0, 6-3/4" DC's
Drill Pipe 4-1/2" 16.60# Grade E
Intermediate Hole:
BHA NA
Drill Pipe NA
Oil String/Liner Hole:
BHA Bit, 2-63/4" DC's, Stab, 16-6-3/4" DC's
Drill Pipe 4-1/2" 16.60# Grade E

7. Other

Inspect BHA after 200 rotating hours.
In "straight" holes run inclination surveys every ±500 feet.
Gyro Surveys None
Check drilling breaks for flow below 1000 feet.
Fill drill pipe every 20 stds when running float.

8. General Remarks

Attached

9. Geologic Program

Attached

Prepared By Mahtas Date 7/3/17 Drilling Superintendent [Signature] Date 7-3-17


DRILLING PROGRAM ATTACHMENT

GENERAL REMARKS

1. Applicable Federal and State Regulations will be adhered to during the drilling of this well.
2. The drilling rig is to be level and the kelly centered over the hole before drilling operations commence. Check periodically during the drilling of the well to insure the rig stays level.
3. Prior to spud insure all toolpushers, drillers and crews are thoroughly familiar with and understand the Chevron procedure for handling well kicks.

In H₂S environments Chevron's contingency plan for your location is to be read, understood and adhered to. All personnel are to be thoroughly familiar with the use of air packs, the air supply system, locations of air packs and what to do in the event of sour gas to surface.
4. Test BOPE before drilling out and every seven days thereafter. Perform low pressure test (200 psi) and high pressure test. High pressure test should be 70% of BOPE working pressure or 70% of burst of last casing string, whichever is less. Record BOP tests on Tour Reports. Notify applicable Federal and State Regulatory Agencies 24 hours in advance of BOPE tests and record notification and names on Tour Reports.
5. Do not reuse ring gaskets. Replace with new Rx or Bx ring gaskets.
6. Separate full opening safety valves and inside BOP's are required for each size drill pipe in use. Test weekly with BOPE.
7. Run full open valve below kelly that can be run in the hole if necessary. Do not use this valve as a mud saver sub.
8. BOP controls are to remain in the open position during drilling operations.
9. Hold pit drills for each crew at least once every seven days and record on Tour Reports.
10. On trips fill the annulus before hydrostatic pressure drops 75 psi or every 5 stds of drill pipe, whichever is first. Use trip tanks to measure hole fill-up and monitor at all times.
11. Use drill pipe floats at all times unless your supervisor instructs otherwise.
12. Have wear ring installed in wellhead before tripping or rotating. Remember to remove wear ring before running casing or when testing BOPE.

13. Casing rams are to be installed and bonnets tested on last trip out before running casing.
14. Run pilot and thickening time tests with rig mixing water for all cement slurries prior to cementing operations.
15. Casing should be tested to 1,500 psi or 0.2 psi/ft., whichever is greater, prior to drilling out and recorded on Tour Reports. Discuss the test pressure with your supervisor and reference DM-49 before testing.
16. Drill out slick beneath each casing string. Drill deep enough to bury stabilization to be picked up.
17. Do not drill with hardbanded pipe inside of casing.
18. Do not run full gauge stabilizers. Run stabilizers 1/16" to 1/8" undergauge.
19. When necessary to work pipe, keep pipe moving up and down. Rotating alone is not considered sufficient.
20. Install and test full lubricator on all logging runs unless instructed otherwise by supervisor.
21. Fully describe damaged or lost equipment on Tour Reports.



WHILE DRILLING, BOTH VALVES ARE KEPT CLOSED



CASING SPOOL SHOULD BE POSITIONED SO THAT THESE VALVES ARE DIRECTLY UNDER THE BARREL OF THE RAM PREVENTER.

FIGURE 4
THREE PREVENTER HOOKUP
CLASS III

(PRESSURE RATING 3-5000 PSI AS REQUIRED)

EMERGENCY FLOW HOOKUP

ALTERNATE CHOKE MANIFOLD



AN EXTRA SET OF DRILL PIPE RAMS AND BONNET SEALS WILL BE ON LOCATION AT ALL TIMES.

Chevron U.S.A. Inc.
ROCKY MTN. PRODUCTION DIVISION

ROCKY MOUNTAIN PRODUCTION DIVISION

GENERAL INSTRUCTIONS AND REQUIREMENTS FOR BLOWOUT
PREVENTION EQUIPMENT

I. ACCEPTABLE ACCUMULATOR UNITS

- A. THE ACCUMULATOR SYSTEM MUST BE OF ADEQUATE CAPACITY TO CLOSE ALL HYDRAULIC BOP COMPONENTS WITH A 50% OPERATING FLUID RESERVE FOR A 3000, 2000, AND 1500 PSI SYSTEM. A MINIMUM ACCUMULATOR PRESSURE OF 1200 PSI WILL BE REQUIRED AFTER CLOSING ALL HYDRAULIC PREVENTER COMPONENTS WITH THE FLUID PUMPS SHUT OFF.
- B. A VALVE SHALL BE PROVIDED FOR INTRODUCTION OF EMERGENCY ENERGY (SUCH AS BAKER HAND PUMP) FROM AN EXTERIOR SOURCE OTHER THAN THE ACCUMULATOR. A VALVE SHALL BE INSTALLED TO PREVENT FLOW FROM AN EXTERIOR SOURCE TO THE ACCUMULATOR UNIT.

II. CONTROL UNITS

- A. ALL VALVES TO BE CLEARLY LABELED TO INSURE PROPER OPERATION AND TO ELIMINATE THE POSSIBILITY OF CONFUSION. THESE VALVES ARE TO BE LEFT IN THE OPEN POSITION UNLESS OPERATING BOP COMPONENTS.
- B. HANDWHEELS FOR PIPE AND BLIND RAMS SHALL BE CLEARLY LABELED AND IN PLACE AT ALL TIMES WITH CLEAR ACCESS. A BARRICADE SHALL BE INSTALLED FOR THE PROTECTION OF THE OPERATOR AT THESE MANUAL CONTROLS.

III. PREVENTER UNITS

- A. PRESSURE RATING OF BOP EQUIPMENT WILL BE AS STATED IN THE CONTRACT OR ON THIS DRAWING.
- B. DRILLING NIPPLE AND BOP'S TO HAVE SUFFICIENT ID TO PASS HANGER FOR NEXT STRING OF CASING TO BE SET.
- C. NEW API RX OR BX RING GASKETS TO BE USED EACH TIME A FLANGE IS ASSEMBLED.
- D. FLANGE BOLTS ON BOP'S WILL BE CHECKED FOR TIGHTNESS AFTER PRESSURE TESTS AND ONCE A WEEK ON A ROUTINE BASIS.
- E. PREVENTERS ARE TO BE WELL BRACED.
- F. PRIOR TO RUNNING CASING, PIPE RAMS WILL BE CHANGED TO ACCOMMODATE SIZE OF CASING TO BE RUN.
- G. CASINGHEAD SHALL BE INSTALLED SO KILL LINE VALVES WILL BE UNDER BOP'S FOR PROTECTION. KILL LINE VALVES TO BE KEPT CLOSED AFTER PRESSURE TESTS.
- H. ALL REPLACEMENT PARTS TO BE OF SAME MANUFACTURE AS BOP'S.

IV. TESTING

- A. BLOWOUT PREVENTERS, KILL LINE, ALL VALVES IN THE SYSTEM, KELLY COCK, SAFETY VALVE, STAND PIPE VALVES, ROTARY HOSE, ETC. ARE ALL TO BE TESTED TO THE WORKING PRESSURE OF THE BOP'S OR AS STATED IN THE CONTRACT.
- B. BOP SYSTEM IS TO BE TESTED UPON INSTALLATION AND EACH WEEK THEREAFTER, USING A TEST PLUG OR AT THE FREQUENCY STATED IN THE CONTRACT.
- C. ALL TESTING IS TO BE DONE WITH CLEAR OR DYED WATER.
- D. TESTING PROCEDURE IS TO BE CARRIED OUT SO EACH VALVE IS TESTED INDIVIDUALLY.
- E. ALL B.O.P.E. TO BE OPERATED DAILY, BLIND RAMS ON TRIPS.

V. MISCELLANEOUS

- A. DRILL PIPE RUBBER, IN GOOD CONDITION, TO BE USED ON KELLY SAVER SUB AT ALL TIMES.
- B. A FULL OPENING VALVE IN THE STAND PIPE WITH A 2" VALVE DOWNSTREAM FOR CONNECTING A PUMP TRUCK ARE REQUIRED. THESE VALVES ARE TO HAVE THE SAME PRESSURE RATING AS THE BOP'S.
- C. CHECK WITH COMPANY REPRESENTATIVE FOR DIRECTION TO INSTALL OUTLET VALVES ON WELLHEAD.
- D. MODIFICATIONS OF HOOK-UP MUST BE APPROVED IN WRITING ON TOUR REPORTS BY COMPANY REPRESENTATIVE.
- E. INSIDE BLOWOUT PREVENTER AND FLOAT VALVE TO HAVE CONNECTIONS FOR DRILL STRING AND TO BE ABLE TO PASS THROUGH BOP STACK INTO OPEN HOLE.

GEOLOGIC PROGRAM

Field/Area Wonsits Valley Expl/Dev Development

Well Name Wonsits Valley #144

Location: Sec 10 TWP 8S Range 21E
Co Uintah State Utah
Surface 1714' FNL and 654' FFL
Bottom Hole Same

Elevation: GL estimated 4895 Surveyed 4898
KB estimated 4913 Surveyed

Total Depth 5660' Fm at TD

Objectives: Primary G1
Secondary F2 & F4

Coring:	Formation	Estimated Depth	Amount
Interval/on show	<u>None</u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>

Drill Stem Testing None

Mud Logging Two man FID Unit from 2000' to TD (Est. cost = \$2400)

Electric logging:	Surface	Intermediate	Total Depth
1) DH-SP	<u></u>	<u></u>	<u></u>
2) DIL-MSFL-SP	<u></u>	<u></u>	<u></u>
3) BHC w/GR, Cal.	<u></u>	<u></u>	<u></u>
4) LDT-CNL w/GR, Cal.	<u></u>	<u></u>	<u>2000' to TD</u>
5) FDC-CNL w/GR, Cal.	<u></u>	<u></u>	<u></u>
6) Dipmeter	<u></u>	<u></u>	<u></u>
7) Velocity survey	<u></u>	<u></u>	<u></u>
8) RFT	<u></u>	<u></u>	<u></u>
9) Microlog w/GR	<u></u>	<u></u>	<u>2000' to TD</u>
10) DISFL w/GR, SP	<u></u>	<u></u>	<u>surface to TD</u>
11)	<u></u>	<u></u>	<u></u>

All runs from TD to either base of surface casing or overlap with previous log run unless otherwise noted.

GEOLOGIC PROGRAM (Continued)**Tops:**

Formation	Estimated Depth, datum	Sample Depth, datum	Log Depth, datum
Green River	2536 (+2380)		
Lower G.R.	4644 (+272)		
F2	5378 (-462)		
F4	5436 (-520)		
G1	5508 (-592)		

Correlation Wells:**Correlative Zones with Subject Well**

	Fm	Interval	
1) WVF #48	Lower G.R.	4610 (+265)	Primary objective
10-8S-21E SW NE	F2	5345 (-470)	zones to be cored.
	F4	5405 (-529)	
	G1	5472 (-597)	Zone to be DST.
2) WVF #34	Lower G.R.	4598 (+280)	Primary objective
11-8S-21E SW NW	F2	5315 (-437)	zones to be cored.
	F4	5370 (-492)	
	G1	5452 (-574)	Zones to be DST.

DIVISION OF INTEREST:**Working Interest Partners:**

Chevron	100	<u> </u> %	<u> </u> %	<u> </u> %	<u> </u> %
		<u> </u> %	<u> </u> %	<u> </u> %	<u> </u> %

Others Receiving Data:

REMARKS: Estimated oil pay = 17' (G1)
 A total of 38' including F2 (predict moderate watercut) and
 F4 (predict high to moderate water cut).
 Est. Logging Cost = \$12,000

Prepared by M. L. Smedley
 Reviewed by James Hume
 Formation Evaluation Analyst

Date 7/21/87
 Date 22 July 87

Approved G. L. Smedley

Date 7/22/87

CHEVRON U.S.A. INC.
WONSITS VALLEY FEDERAL UNIT 144
SECTION 10, T8S, R21E
UINTAH COUNTY, UTAH
MULTIPOINT SURFACE USE PLAN

1. EXISTING ROADS

- A. See Topo maps "A" and "B". We do not plan to change, alter or improve upon any existing state or county roads.
- B. From Vernal, Utah go south 29 miles and turn west. Travel approximately 14.9 miles, then turn right 0.8 miles to proposed access road.

2. PLANNED ACCESS ROAD

From the proposed access road entrance the proposed access road is to go approximately 0.2 mile northeast. Existing and planned access roads in the Unit will be maintained in accordance with Bureau of Land Management (BLM) requirements. See Topo Map "B".

- A. Width: Maximum width 30' with an 18' travel area.
- B. Maximum Grade: No greater than 8%
- C. Turnouts: None, avoid blind corners.
- D. Drainage Design: Roads to be placed and constructed so that minimal drainage alterations will be made. Water will be diverted around well pad as necessary.
- E. No major cuts and fills.
- F. Surfacing Materials: Gravel if necessary (see item 6-A).
- G. Other: No gates, cattleguards or fence cuts.

3. LOCATION OF EXISTING WELLS

See Map B.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. See Map B.
- B. Install new flowline from subject well a distance of 3,604' to the west and south to tie into an existing flowline. Flowline will be 3" plain end welded line pipe, placed on supports on the surface, heat traced, insulated and wrapped with green chiller. A gas line 2086' in length will be constructed to an existing line, and a power line 3512' long will travel from the wellsite to an existing line.
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by the BIA.
- D. A blooie pit 8' X 10' X 5' deep will be constructed 150' diagonally from the center hole as shown on Exhibit "C". A line will be placed on the surface from the center hole in the burn pit. The pit will be fenced on four sides to protect livestock.

- E. A line heater will be required for the production from this well. About 100' of access will be needed to service this line heater. This will be adjacent to the pad and placed along the production flowline from this well.

5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water supplied to the location will be hauled by truck on existing roads in the area from the water injection station in Section 12, T8S, R21E.

6. SOURCE OF CONSTRUCTION MATERIALS

- A. All land is Ute Tribal land. All gravel, cement, etc., needed on the access road and location will come commercially from the Vernal, Utah area. Access road needed is shown on Topo map "B".

7. METHODS FOR HANDLING WASTE DISPOSAL

- A. Cuttings will be settled out in the reserve pit. The reserve pit will be unlined. It will be fenced with a wire mesh fence, topped with at least one strand of barbed wire.
- B. Drilling fluids will be retained in reserve tanks utilizing maximum recirculation during drilling operations. Following drilling, the liquid waste will be evaporated and the remainder worked into the deep subsoil of the pit, and the pit filled in and returned to natural grade.
- C. In the event fluids are produced, any oil will be retained until sold in tankage and any water produced will be retained until its quality is determined. The quality and quantity of water produced will then determine the necessary disposal procedure.
- D. Sewage will be disposed of in a 1,000 gallon fiber glass insulated holding tank, which is to be placed in the vicinity of the trailers on the well location. Arrangements have been made for the sewage to be transported from the wellsite to the City of Vernal, Utah for disposal in the city disposal system. The sewage will be hauled by an authorized hauling firm.
- E. Trash will be contained in a portable metal container and hauled periodically to an approved disposal dump.
- F. After the rig has moved from the wellsite, all waste material will be removed to an approved disposal dump.

8. ANCILLARY FACILITIES

Because of the accessibility to good roads and relatively close housing, we anticipate no need for ancillary facilities with the exception of two trailers to be located on the drilling location.

9. WELLSITE LAYOUT

- A. Four to six inches of topsoil will be removed from the location and stockpiled. Location of mud tanks, reserve, burn and trash pits, pipe racks, living facilities and soil stockpiles will be located as shown on Exhibit "C".
- B. Pits will not be lined.
- C. Access to the well pad will be as indicated in Exhibit "C".

10. PLANS FOR RESTORATION OF SURFACE

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BIA.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed, burned or overhead flagged as dictated by then existing conditions.
- E. The well will be completed during 1987. Rehabilitation will commence following completion of the well. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as is possible.

11. SURFACE OWNERSHIP

- A. The wellsite, access roads, flowlines and powerlines will all be constructed on BIA owned surfaces. The operator shall contact the BLM office at (801) 789-1362 and the BIA office at (801) 722-2406 between 24 and 48 hours prior to construction activities.

12. OTHER INFORMATION

- A. The well is located on hilly and sandy terrain. Vegetation consists of small sagebrush and natural grasses around the locations. The soil is a poorly developed, semiarid, thin topsoil layer over the Uintah Formation.
- B. Surface use activities other than the oil well facilities consist of livestock grazing.
- C. There are no water bodies or occupied dwellings near the wellsites. Archaeological, historical and cultural sites may be determined during the field inspection. An archaeological survey has been conducted on the disturbed areas and a copy of this report sent to the BLM.

13. COMPANY REPRESENTATIVE

Mr. B. L. Haynes
P.O. Box 599
Denver, CO 80201
(303) 930-3403

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron U.S.A. Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

8-13-87
Date

B. L. Haynes
B. L. Haynes
Drilling Manager

JLW:mm

Map "A" - Proposed Location
Map "B" - Proposed Access Road
Exhibit "C" - Location Layout and Cut and Fill

CHEVRON U.S.A. INC.

WVUF # 199

PROPOSED LOCATION

TOPO.

MAP "A"

SCALE 1" = 4 MI.

VERNAL

14.9
Mi.

PROPOSED LOCATION
WVUF # 199

TBS

T95

HAND-OURAY INDIAN RESERVATION

PROPOSED	LOCATION
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

TOPO.

MAP "B"

SCALE 1" = 2000'

ROAD CLASSIFICATION

Light duty road, all weather, Unimproved road fair or dry
Improved surface _____ weather =====

VITAL

QUADRANGLE LOCATION

Proposed Location

WVUE #144

PROPOSED ACCESS
ROAD - 0.2 Miles

Q B M:

~~SECRET~~

Donanza Highway - 9 mi.

VERNAL, UT. - 33 Mi. +



WOMEN'S WOMEN'S

OIL FIELD

ROAD

50:20 UTAH AND COURAY 50:60
50:20 THE DIN RESERVATION

Exhibit C
 CHEVRON U.S.A. INC.
 WONSITS VALLEY UNIT FED. #144



090221

OPERATOR Cherrow U.S.A. Inc DATE 8-26-87WELL NAME Wonsita Valley Unit 144SEC SE NE 10 T 85 R 21E COUNTY Unitah


43-047-31807

API NUMBER


Accl.

TYPE OF LEASE



CHECK OFF:




PLAT



BOND

NEAREST
WELL

LEASE



FIELD

POTASH OR
OIL SHALE


PROCESSING COMMENTS:

Unit well - R on P.O.DNeed water permit

APPROVAL LETTER:

SPACING: ☒ R615-2-3Wonsita Valley
UNIT

R615-3-2



CAUSE NO. & DATE



R615-3-3

STIPULATIONS:

1- Water

0218T



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

August 31, 1987

Chevron U. S. A. Inc.
P. O. Box 599
Denver, Colorado 80201

Gentlemen:

Re: Wonsits Valley Unit 144 - SE NE Sec. 10, T. 8S, R. 21E
1764' FNL, 656' FEL - Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule R615-2-3, Oil and Gas Conservation General Rules, subject to the following stipulation:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Chapter 3, Title 73, Utah Code Annotated.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal of an Entity Action Form to the Division within five working days of the time that the well is spudded or a change in operations or interests necessitates a change in entity status.
3. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
4. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.

Page 2
Chevron U. S. A. Inc.
Wonsits Valley Unit 144
August 31, 1987

5. Compliance with the requirements of Rule R615-3-22, Gas Flaring or Venting, Oil and Gas Conservation General Rules.
6. Prior to commencement of the proposed drilling operations, plans for toilet facilities and the disposal of sanitary waste at the drill site shall be submitted to the local health department having jurisdiction. Any such drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of all local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.
7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31807.

Sincerely,



R. J. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals
D. R. Nielson
8159T

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER

SINGLE
ZONE ☐

MULTIPLE
ZONE ☒

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface
1,764' FNL, 656' FEL SE/NE
At proposed prod. zone

SEP 14 1987

BUREAU OF OIL
AND GAS

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

43.9 miles south of Vernal, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

16. NO. OF ACRES IN LEASE

2,480

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40 acres

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

5,660'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4,898' GL Est. 4,913' KB

22. APPROX. DATE WORK WILL START*

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	9-5/8"	36#	500'	To Surface
8-3/4"	7"	23#	5,660'	To Surface

It is proposed to drill this development well to a depth of 5,660' to test the Green River formation.

Attachments: Certified Plat
Drilling Program
Chevron Class III BOPE
Geologic Program
Multipoint Surface Use Plan

Completion procedure to be submitted by Sundry Notice.

Bottom Hole Pressure 1300 p.s.i.

RECEIVED
AUG 1987

AUG 1987

Vernal, Utah

AUG 19 1987

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

J. J. Watson

TITLE Office Assistant

DATE August 12, 1987

(This space for Federal or State office use)

PERMIT NO.

43-047-31807

APPROVAL DATE

APPROVED BY

Donald E. Kenzler

TITLE

ASSISTANT DISTRICT
MANAGER MINERALS

DATE

9/1/87

CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL
*See Instructions On Reverse Side

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

Ut 080-7m-68

DOGMA

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 84026

(801) 722-2406 Ext. 31/48

RECEIVED
BUREAU OF INDIAN AFFAIRS
WASHINGTON, D.C.

AUG 27 1987

IN REPLY REFER TO:

AUG 26 1987

MEMORANDUM

TO: District Manager, Bureau of Land Management

FROM: Superintendent, Uintah and Ouray Agency

SUBJECT: ROW H62-87-35, Wonsit Valley Unit, Well #144

in ~~the~~ Section 10, Township 8 South., Range 21 East.,

We (concur with ~~or, recommend~~) approval of the Application for Permit to Drill subject well.

Based on available information on May 7, 1987, we have cleared the proposed location in the following areas of environmental impact.

YES XX NO Listed threatened or endangered species

YES XX NO Critical wildlife habitat


YES XX NO Archaeological or cultural resources

YES NO Air quality aspects (to be used only if project is in or adjacent to a class 1 area of attainment)

YES NO Other (if necessary)

REMARKS: All disturbed areas, when abandoned, will be rehabilitated and reseeded.

The necessary surface protection and rehabilitation requirements are as per approved APD.


acting Superintendent

c.c. Ute Tribe Energy & Minerals
ROW Files

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL
WITHIN THE UINTAH OURAY RESERVATION

Company Chevron U.S.A. Inc. Well No. 144
Location Sec. 10 T8S R21E Lease No. U-0806
Onsite Inspection Date August 26, 1987

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

Report all water shows and water-bearing sands encountered to Wayne Svejnoha of this office. Copies of State of Utah form OGC-8-X will be acceptable. If noticeable water flows are encountered, submit samples to this office along with any water analyses conducted by the operator.

All anticipated fresh water and other mineral zones will be protected by the proposed cementing program. If well bore conditions prevent successful completion of the proposed plan, this office shall be notified immediately to determine required remedial protection procedures.

2. Pressure Control Equipment

All BOPE and testing procedures will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection

recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office shall be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

The District Office shall be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

A cement bond log shall be run and copies submitted to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form

3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

In the event after-hour approvals are necessary, please contact one of the following individuals:

Craig M. Hansen Assistant District Manager for Minerals	(801) 247-2318
Gerald E. Kenczka Petroleum Engineer	(801) 781-1190
R. Allen McKee Petroleum Engineer	(801) 781-1368

Revised October 1, 1985

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator Chevron U.S.A., Inc.

Well Name & Number Wonsits Valley 144

Lease Number U-806

Location SE 1/4 NE 1/4 Sec. 10 T. 8 S. R. 21 E.

Surface Ownership Ute Tribe

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirements to Accompany APD

1. Planned Access Roads

Access roads and surface disturbing activities will conform to standards outlined in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development.

2. Methods for Handling Waste Disposal

The reserve pit shall be lined if needed to conserve water and drilling fluids.

If the pit is lined, it shall be constructed so as not to leak, break, or allow discharge.

3. Plans for Restoration of Surface

A. Provide a restoration program upon completion of operations, including:

- (1) Backfilling, leveling, recontouring, and waste disposal; segregation of topsoil from cut materials as needed
- (2) Revegetation and rehabilitation--including abandoned access roads or portions of well pads no longer needed (normally per BLM recommendations)
- (3) Proposed timetable for commencement and completion of rehabilitation operations

B. The following are provisions to be addressed in the restoration plan:

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed. The reserve pit will be reclaimed. The reserve pit will be reclaimed within one year from the date of well completion.

All disturbed areas will be recontoured to the approximate natural contours.

The stockpiled topsoil will be evenly distributed over the disturbed areas.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled at a time specified by the BIA. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage and the seed mixture will be proportionately larger (double the lbs. per acre).

An appropriate seed mixture will be determined by the BIA, either as part of the Conditions of Approval of the APD or at the time restoration activities are scheduled to begin.

All seeding will be done from September until the ground freezes.

At such time as the well is plugged and abandoned, the operator will submit a surface reclamation plan to the Surface Management Agency for prescribed seed mixtures and reseeding requirements.

If the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) reestablishing irrigation systems where applicable, (b) reestablishing soil conditions in irrigated fields in such a way as to insure cultivation and harvesting of crops and, (c) insuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

The operator will submit a plan of controlling noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds can be obtained from the appropriate county extension office.

4. Additional Surface Stipulations for BLM, BIA, FS, DWR, or Private Surface Lands:

The operator or his contractor shall contact the BLM and BIA Offices at (801) 789-1362 (BLM) and (801) 722-2406 (BIA) between 24 and 48 hours prior to construction activities. Contact the Bookcliffs Resource Area.

UTAH BASIN DISTRICT HEALTH DEPARTMENT

WASTEWATER SYSTEM INSPECTION REPORT

DRILLING SITE

PERMIT # 12584

DATE

APPROVED 10-15-87

121015

LOCATION WVFM-144 43-047-31807 Orl. Sio-T850-R219 COUNTY Utah

OWNER/SPONSER Echo Cushman/Cheney PHONE # _____

MAILING ADDRESS _____

WW INSTALLER Rochet

SCAVENGER SERVICES Rochet Sanitation

CHEMICAL TOILETS () YES () NO; SUPPLIER _____

BUILDINGS SERVED _____ TOTAL _____

WATER SUPPLY: () POTABLE, () NON-POTABLE, SUPPLIER A-1-Tank


DISPOSAL SYSTEM: _____

SEPTIC TANK _____ LIQUID GALLONS _____

☒ ABSORPTION SYSTEM _____ FIELD _____ PIT _____ BED _____ TRENCH

HOLDING TANK _____ LIQUID GALLONS 1000

SKETCH OF SYSTEM Not to Scale



DATE OF INSPECTION 12-03-87 APPROVED ☒ REJECTED _____

NOTATIONS: _____

SANITARTAN

Conrad Paul R.S.

120323

DIVISION OF OIL, GAS AND MINING

Dr.

SPODDING INFORMATION

API #43-047-31807

NAME OF COMPANY: CHEVRON

WELL NAME: WONSITS VALLEY UNIT #144

SECTION SE NE 10 TOWNSHIP 8S RANGE 21E COUNTY Uintah

DRILLING CONTRACTOR _____

RIG # _____

SPODDED: DATE 12-1-87

TIME 7 PM

How _____

DRILLING WILL COMMENCE _____

REPORTED BY E. K. Bosteck

TELEPHONE # 789-4023

DATE 12-2-87 SIGNED Barbara Dumas

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-0806

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

121817

7. UNIT AGREEMENT NAME

Wonsits Valley Federal Unit

8. FARM OR LEASE NAME

Wonsits Valley

9. WELL NO.

144

10. FIELD AND POOL, OR WILDCAT

Wonsits Green River

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 10, T8S, R21E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

1,764' FNL 656' FEL SE/NE

14. PERMIT NO.

43-047-31807

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4,912' KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Spud Notices

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WVFU #144 was spudded by Cachuma Rig #76 7 P.M. MST 12-1-87.

3 - BLM
3 - State
1 - EEM
1 - MKD
3 - Drig.
1 - PLM
1 - Sec. 724-C
1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Technical Assistant

DATE

December 8, 1987

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

CHEVRON U.S.A. INC.

TRANSMITTAL OF DATA

DATE: 1-14-88

WELL: WONSITS VALLEY FED H144

LOCATION: SE/NE SEC 10-8S-21E
UTAH, UT.

SENT TO: UTAH DIVISION of OIL, GAS & MINING
3 TRIAD CENTER, STE 350
SALT LAKE CITY, UT. 84180-1203

ATTENTION: RONALD J. FIRTH

DESCRIPTION:	QUANTITY:
<u>✓ DIFL-GR LOG</u>	<u>1</u>
<u>✓ ML-GR LOG</u>	<u>1</u>
<u>✓ ZDL-CN-GR LOG</u>	<u>1</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u>✓ UC-DOGM</u>	<u> </u>
<u> </u>	<u> </u>
TOTAL <u>3 LOGS</u>	

TRANSMITTAL OF DATA BY

RECEIVED
JAN 19 1988

Mary Chaverri
MARJ CHAVERRI

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input type="checkbox"/>		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>
2. NAME OF OPERATOR Chevron U.S.A. Inc., Room 11111						
3. ADDRESS OF OPERATOR P.O. Box 599, Denver, CO 80201						
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 1764 FNL 656 FEL SE/NE At top prod. interval reported below At total depth						
14. PERMIT NO. 43-047-31807			DATE ISSUED 8-31-87			
15. DATE SPUDDED 12-1-87		16. DATE T.D. REACHED 12-12-87		17. DATE COMPL. (Ready to prod.) 2-3-88		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* GR 4895 KB 4909
20. TOTAL DEPTH, MD & TVD 5655 MD		21. PLUG BACK T.D., MD & TVD 5554		22. IF MULTIPLE COMPL., HOW MANY* 3		23. INTERVALS DRILLED BY X
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5505-20 (G-1); 5436-43 (F-4); 5450-54 (F-4) 5375-92 (F-2)						25. WAS DIRECTIONAL SURVEY MADE No
26. TYPE ELECTRIC AND OTHER LOGS RUN DIFL-GR, ZDL-CN-GR, ML-GR, CBL-CCL-GR, CET-CCL-GR; Spectral-GR						27. WAS WELL CORRED No
28. CASING RECORD (Report all strings set in well)						
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		AMOUNT PULLED
16	65#	80	26	To Surface		-
9-5/8	36#	509	12 1/2	300 sx - To Surface		-
7"	23 & 26#	5654	8-3/4	930 sx Lead, 400 sx Tail 300 sx Top Job		-
29. LINER RECORD					30. TUBING RECORD	
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)
N/A					2-7/8	5367
31. PERFORATION RECORD (Interval, size and number)					32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
5505-20 (G-1) 4 SPF 90° Ø 5436-43 & 5450-54 (F-4) 4 SPF 90° Ø 5375-92 (F-2) 4 SPF 90° Ø					DEPTH INTERVAL (MD) 5505-20 (G-1) 5436-54 (F-4) 5375-92 (F-2)	
					AMOUNT AND KIND OF MATERIAL USED 500 GAL. 15% KCL Acid; Frac w/ 10,500# 16/30 in 11,000 GAL. GEL 2% KCL 500 GAL 15% HCl Acid 500 GAL. 15% HCl; Frac w/ 10500# 16/30 in 11,000 GAL 2% Gelled KCl	
33. PRODUCTION						
DATE FIRST PRODUCTION 2-14-88		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping - 2 1/2" X 1-3/4" X 25' 3-Tube Rod Pump				WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 2-14-88	HOURS TESTED 24	CHOKE SIZE -	PROD'N. FOR TEST PERIOD →	OIL—BBL. 53	GAS—MCF. 2	WATER—BBL. 56
FLOW. TUBING PRESS. N/A	CASING PRESSURE N/A	CALCULATED 24-HOUR RATE →	OIL—BBL. 53	GAS—MCF. 2	WATER—BBL. 56	OIL GRAVITY-API (CORR.) 29
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Used for fuel gas						TEST WITNESSED BY W. M. Sundland
35. LIST OF ATTACHMENTS						

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED J. L. Watson TITLE Technical Assistant DATE 2-23-88

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

recoveries):				TOP		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Uintah Fm	Surface 2000'	2000' 2537'	No Samples Caught Interbedded Ss, Sh and Lst Ss, Clr-offwh-tn, Sbang-Sbrd, F-mgr, msrt, pcmt, calc, dk inclu's, dull gold fluor, brwn-blk stn, wh/lt yell strmg cut Sh, grn-grygrn, rd, or brwn, sbblky-sbplty, slty i.p., frm-sft, wxy-erthy Lst, wh-offwh-tan, micxln-crypdxln, org i.p., Interbedded Ss, Sh, Dol Ss, wh-clr, vf-fgr, sbang-sbrd, wsrt, m-pcmt, fri, calc, dk inclu's, ok brwn stn, tr fluor, immed strmg yell cut Sh, gygrn-brwn, sbplty-sb blkky, erthy-wxy, non-sl calc, silty i.p. Dol, or brwn-tn, crypdxln-micxln, lmy, arg, dull gold fluor, NSOL Interbedded Sh, Ss, Dol, Tr Lst Sh, m-dkbrwn, grngy, plty-sbblky, wxy-erthy, sl calc Ss, lt yel brwn-lt brwn-grn, f-mgr, sbang-sbrd, m-psrt, pcmt, arg i.p., glauc i.p., calc, dk inclu's, tr yell fluor, brwn-blk st, strmg yell-wh cut i.p. Dol AA Lst, wh-off wh-tan, crypdxln-micxln, arg i.p. dkbrwn-blk lam, NSF0C Interbedded Dol, Sh, Lst, rare Ss Dol, brwn-dk brwn-orbrwn, micxln-crypdxln, brit, frm-hd, lmy i.p., arg, occ dull gold min fluor, occ blk stn, when stn present, no fluor but slo strmg yell cut Sh, ltbrwn-tn-grygrn, sbplty, soft, calc-sl calc, slty, i.p. Lst, tn-ltbrwn, micxln-crypdxln, blk lam, arg i.p., chky, i.p., dull or fluor, no stn, occ slo strmg yell cut Ss, lt med gry-wh, vf-fgr, sbang, wsrt, mcmt, mic, calc, tr dkbrwn stn, no fluor, slo strmg yell cut Interbedded Ss, Dol, Lst, Sh, Slst Ss, wh-tn-ltbrwn, vf-fgr, rare m-gr, sbang-sbrd, wsrt, mcmt, calc, dull yell fluor, lt brwn stn,			
Green River Fm	2537'	2667'				
	2667'	2887'				
	2887'	3760				
	3760'	4210'				

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Green River, Cont'd	3760'	4210'	<p>immed wh/yell strmg cut</p> <p>Dol, lt-dk brwn, crypxln-micxlln, arg, chalky i.p., dk brwn stn, occ dull yell fluor, sm strmg yell cut</p> <p>Lst, wh-lt gry, micxlln, chlky, arg i.p., sft-frm, NSOFC</p> <p>Sh, A.A.</p> <p>Slst, lt mgry-tan, sndy i.p., soft, calc NSOFC</p> <p>Interbedded Sh, Dol, Lst, Ss</p> <p>Sh, lt-mbrwn-gry-mar-grn, sbblky-sbplaty, erthy-wxy, slty i.p., calc</p> <p>Dol, A.A.</p> <p>Lst, tn, wh, off-wh, crm, crypxlln, sndy, dull gold fluor, no stn, slo strmg yell cut</p> <p>Ss, tn-wh, vf-fgr, sbrd-sbang, wsrt, mcmt, fri, tite, v. calc, yell fluor, ltbrwn stn, slo strmg yell cut</p>			
		4387'	<p>Interbedded Ss, Lst, Slst, Sh, Dol</p> <p>Ss, tn-wh-transl, vf-mgr, m-wsrt, mcmt, fri, calc, dk inclu's, yell-br yell fluor, lt brwn stn, strmg wh-yell cut</p> <p>Lst, crm-tn-lt brwn, crypxln-micxln, sndy i.p., chalky i.p., arg i.p., occ dull yell fluor, n stn, occ. wh-yell strmg cut</p> <p>Slst, gry-off-wh, sndy, calc, sft, NSOFC</p> <p>Sh, A.A.</p> <p>Dol, lt-dkbrwn, micxln-crypxln, sft-hd, arg, dkbrwn stn, gld fluor, immed. strmg yell cut</p>			
	4570'	4570'	<p>Interbedded Sh, Dol, Lst, rare Ss</p> <p>Sh, A.A.</p> <p>Dol, A.A.</p> <p>Lst, wh-pnk-ltgry, chlky, arg i.p., sft, NSFOC</p> <p>Ss, A.A.</p>			
	4700'	4980'	<p>Interbedded Ss, Slst, Lst, Sh, Dol</p> <p>Ss, wh-lt gry-clr, vf-mgr, m-psrt, arg i.p. rd-sbrd, m-plmt, calc, bri yell fluor, vis o stn, slo strmg yell cut</p> <p>Slst, lt-m gry, sndy, mic, frm, calc, NSOFC</p>			

38.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

FORMATION				GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Green River, Cont'd.	4700'	4980'	Lst, grybrwn, crypxln-micrxln, ostracodal, frm-hd, fnt dull gold fluor, no stn, slo strmg yell cut Sh, lt-mgry-grn-brwn, sbbly-sbply, rthy, slty, sft-frm, sl calc Dol, A.A. *Abnd oil over shaker @ 4730-40 and 4890-4900			
	4980'	5240'	Interbedded Sh, Lst, Ss, minor Dol & Slst Sh, A.A. Lst, tn-orpkn-orbrwn, crypxln-micrxln, tr ostracods, sft, dull or-yell fluor, no stn, lt yell strmg cut Ss, wh ltgry, f-mgr, sbans-sbrd, msrt, sl arg. mic, calc NSOFC, rare strmg wh cut Dol, A.A. Slst, lt-mgry, sbbly, sft, calc			
	5240'	5375'	Interbedded Sh, Lst, Ss, Slst, minor Dol Sh, A.A. Lst, tn-lt brwn-gry brwn, crypxln-micrxln, ostracodal, sndy, frm-hd, dull gold fluor, no stn, slo strmg yell cut Ss, clr-wh-gry, vf-fgr, sbrd, wsrt, m-wcmt, calc, br yell fluor i.p., ltbrwn stn i.p., strmg yell cut Slst, A.A. Dol, lt brwn-tan, micrxln-crypxln, arg. dlgl'd fluor, no stn, slo strmg yell cut			
	5375'	5503'	Interbedded Ss, Sh, minor Dol & Lst Ss, brn-wh-trnsl, f-mgr, sbrd, w srt, mcmt, calc, dkinclu's, bri yell fluor, brwn ostn, immed strmg yell cut ostracodal i.p. Sh, gry-rdbrwn, sbply-sbbly, wxy, sft calc i.p. Dol, orbrwn-tan, crypxln-micrxln, arg, blk lam w/NF but lt yell strmg cut Lst, A.A. *Abndt oil @ 5390-5400			
	5503'	5524'	Lst, tn-crm, dk gry ostracods-dol, calc cmt, m-cgr, wcmt, o stn, bri yell fluor, immed yell cut			
	5524'	5655'	Interbedded Sh, Lst, Ss, Slst, rare Dol Sh, A.A., slty i.p.			

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries);

38. GEOLOGIC MARKERS


FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Green River Cont'd.	5524'	5655'	<p>Interbedded Sh, Lst, Ss, Slst, rare Dol Sh, A.A. Silty i.p. Lst, A.A. & lt-dkbrwn-gry brwn, crypxln, arg. chalky, sft, NSF0C SS, lt brwn-tan, vf-fgr, sbrd, m-w srt, ostracodal i.p., calc, brn stn bri yell fluor, strmg yell cut Slst, gry brwn-gry, sndy, arg, sft calc, NSF0C Dol, A.A.</p>			

31807.-

Ordu 144

Sec. 10, T8S, R21E Gubly 4/19/89

N



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-1135
Expires September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

JUN 19 1990

U-0806

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Chevron U.S.A. Inc., Room 13097

3. Address and Telephone No.
P.O. Box 599, Denver, CO 80201

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1,764' FNL 656' FEL (SE/NE)
Sec. 10, T8S, R21E

5. If Indian, Allottee or Tribe Name

7. If Unit or Co. Agreement Designation
Wonsits Valley Fed. Uni

8. Well Name and No.
WVFU 144

9. API Well No.
43-047-31807

10. Field and Pool, or Exploratory Area
Wonsits-Green River

11. County or Parish, State
Uintah, UT

12 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	Shoot or acidize

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Propose to cleanout and acidize WVFU 144 as follows:

1. MIRU. Pull rods & pump. ND WH. NU BOPE & test. Pull prod. tbg.
2. Cleanout to PBTD with bit & scraper. POOH.
3. RIH w/RBP & pkr. Test casing to 500 psi. Isolate leaks if any.
Selectively isolate, pump parafin solvent, acidize & scale inhibitor squeeze the following intervals as follows:
Perfs 5,505'-5,520' (G-1) w/110 gals. ASOL P-38, 1,500 gals. 15% HCl
5,436'-5,454' (F-4) w/110 gals. ASOL P-38, 800 gals. 15% HCl
5,375'-5,392' (F-2) w/165 gals. ASOL P-38, 1,300 gals. 15% HCl
4. POOH w/tools. Run production tubing.
5. ND BOPE. NU wellhead. Run pump & rods.
6. RD RIG. TWOTP.

3-BLM
3-State
1-EEM
1-RBN
2-Drfg.
1-JLW

14. I hereby certify that the foregoing is true and correct

Signed

J. H. Watson

Title

Technical Assistant

6/12/90

(This space for Federal or State office use)

Approved by

Conditions of approval: **Federal approval of this action is required before commencing operations.**

Title

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 7-2-90

BY: *John R. Bay*

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-1135
Expires September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED
JUL 16 1990

5 Lease Designation and Serial No

U-0806

6 If Indian, Allottee or Tribe Name

7 If Lease or C.A. Agreement Designation

Wonsits Valley Fed. Uni

8 Well Name and No.

WVFU #144

9 API Well No.

43-047-31807

10 Field and Pool, or Exploratory Area

Wonsits-Green River

11 County or Parish, State

Uintah, UT

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Chevron U.S.A. Inc., Room 13097

3. Address and Telephone No.

P. O. Box 599, Denver, CO 80201 (303) 930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1,764' FNL & 656' FEL SE 1/4 NE 1/4
Sec. 10, T8S, R21E

DIVISION OF
OIL, GAS & MINING

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☒ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

Clean out, ASOL & acidize

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WVFU #144 was worked over as follows:

1. MIRU GUDAC WSU 6/20/90. POOH w/rods & pump.
2. ND WH. Rel. TAC. NU & test BOPE. POOH w/production tbg.
3. Cleaned out well w/bit & scraper to PBTD @ 5,554'.
4. RIH w/RBP & pkr. Acid washed tbg. w/400 gals. 15% HCl. Reversed spent acid to pit.
5. Isolate G-1 perfs 5,505'-5,520'. Treat perfs w/110 gals. ASOL P-38. Displaced to top perf. Pmp. 1,500 gals into G-1 perfs, found communication w/F-4 perfs (5,436'-5,454'). Ran acid to pit.
6. Acidized G-1 perfs (5,505'-5,520') & F4 perfs (5,450'-5,454', 5,436'-5,443') w/2,300 gals. 15% HCl. Swabbed back spent acid.
7. Treated perfs w/scale inhibitor.
8. Isolate F2 perfs (5,375'-5,392'). Pump 165 gals. ASOL P-38 to 5,000'. Displaced to 5,375'.
9. Acidized F2 perfs 5,375'-5,392' w/1,300 gals. 15% HCl. Swabbed back acid. Treated perfs w/scale inhibitor.
10. POOH w/tools. RIH w/production tbg. Set TAC. ND BOPE. NU WH.
11. RIH w/pump & rods. Hung well on.
12. RD GUDAC WSU 6/26/90. TWOTP.

3-BLM 1-PLM
3-State 1-Sec. 724C
1-RBN 1-Sec. 724R
2-Dr1g. 1-JLW

14. I hereby certify that the foregoing is true and correct

Signed

J. Watson

Title

Technical Assistant

Date

7/9/90

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

8/9

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☒

Well

☐

Well

☐

Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1764' FNL & 656' FEL (SE NE) SECTION 10, T8S, R21E, SLBM

5. Lease Designation and Serial No.

U-0806

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Wonsits Valley Federal Unit

8. Well Name and No.

WVFU 144

9. API Well No.

43-047-31807

10. Field and Pool, or Exploratory Area

Wonsits Valley - Green River

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other ACID STIMULATION

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

DATE OF WORK: 12/27/95 THRU 1/4/96

DRILLED OUT ~~FL~~ OAT COLLAR TO NEW PBTD @ 5613.
ACIDIZED PERFS WITH 26,000 GALLONS 28% HCL, FLOWED AND SWABBED.
EQUIPPED WELL TO PUMP.

14. I hereby certify that the foregoing is true and correct.

Signed G.D. SCOTT

G.D. Scott

Title DRILLING TECHNICIAN

Date

January 10, 1996

(This space for Federal or State office use)

Approved by:

Title

Date

tax credit
3/12/96

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☐

Well

☐

Well

☒

Other

MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator

CHEVRON U.S.A. INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Wonsits Valley Federal Unit
14-08-001-8482

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

Wonsits Valley - Green River

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other CHANGE OF OPERATOR

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. Inc. resigns as Operator of the Wonsits Valley Unit.
The Unit number is 14-08-001-8482 effective November 23, 1962.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By:

Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Signed A. E. Wacker

Title Assistant Secretary

Date 12/29/99

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Wonsits Valley Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 9	U-0806	43-047-15440	TA	INJ
Wonsits Valley Federal Unit 16	U-0807	43-047-15447	A	INJ
Wonsits Valley Federal Unit 21	ML-2237	43-047-15452	A	INJ
Wonsits Valley Federal Unit 28-2	U-0806	43-047-31524	A	INJ
Wonsits Valley Federal Unit 31	U-0807	43-047-15460	A	INJ
Wonsits Valley Federal Unit 32	ML-2237	43-047-16513	A	OIL
Wonsits Valley Federal Unit 35	U-0807	43-047-15463	A	INJ
Wonsits Valley Federal Unit 36	U-0806	43-047-15464	A	INJ
Wonsits Valley Federal Unit 40-2	U-0806	43-047-31798	A	INJ
Wonsits Valley Federal Unit 41	U-0807	43-047-15469	A	INJ
Wonsits Valley Federal Unit 43	U-0806	43-047-15471	A	OIL
Wonsits Valley Federal Unit 48	U-0806	43-047-15476	A	OIL
Wonsits Valley Federal Unit 50	U-0807	43-047-15477	A	INJ
Wonsits Valley Federal Unit 53	U-0806	43-047-20003	A	OIL
Wonsits Valley Federal Unit 55	U-0807	43-047-20005	A	OIL
Wonsits Valley Federal Unit 59	U-0807	43-047-20018	A	INJ
Wonsits Valley Federal Unit 62	U-0806	43-047-20024	A	OIL
Wonsits Valley Federal Unit 65	U-0807	43-047-20041	A	OIL
Wonsits Valley Federal Unit 67	U-0807	43-047-20043	A	INJ
Wonsits Valley Federal Unit 68	U-0807	43-047-20047	A	INJ
Wonsits Valley Federal Unit 71-2	U-0807	43-047-32449	A	INJ
Wonsits Valley Federal Unit 72	ML-2237A	43-047-20058	A	INJ
Wonsits Valley Federal Unit 73	ML-2237	43-047-20066	A	INJ
Wonsits Valley Federal Unit 74	ML-2237	43-047-20078	A	OIL
Wonsits Valley Federal Unit 75	ML-2237	43-047-20085	A	OIL
Wonsits Valley Federal Unit 78	ML-2237	43-047-20115	A	INJ
Wonsits Valley Federal Unit 97	U-0806	43-047-30014	A	INJ
Wonsits Valley Federal Unit 103	U-0807	43-047-30021	A	OIL
Wonsits Valley Federal Unit 104	U-0807	43-047-30022	A	OIL
Wonsits Valley Federal Unit 105	U-0806	43-047-30023	A	OIL
Wonsits Valley Federal Unit 109	U-0807	43-047-30045	A	OIL
Wonsits Valley Federal Unit 110	U-0807	43-047-30046	A	OIL
Wonsits Valley Federal Unit 112	U-0807	43-047-30048	A	OIL
Wonsits Valley Federal Unit 119	U-0804	43-047-32461	A	OIL
Wonsits Valley Federal Unit 120	U-0804	43-047-32462	A	INJ
Wonsits Valley Federal Unit 121	U-0807	43-047-31873	A	OIL
Wonsits Valley Federal Unit 124	U-0807	43-047-30745	A	OIL
Wonsits Valley Federal Unit 126	U-0804	43-047-30796	A	INJ
Wonsits Valley Federal Unit 127	STATE	43-047-31611	A	OIL
Wonsits Valley Federal Unit 128	U-0806	43-047-30798	A	OIL
Wonsits Valley Federal Unit 130	U-0804	43-047-32307	A	OIL
Wonsits Valley Federal Unit 132	U-0807	43-047-30822	A	OIL
Wonsits Valley Federal Unit 133	U-0807	43-047-31706	A	OIL
Wonsits Valley Federal Unit 134	ML-2237	43-047-31118	A	OIL
Wonsits Valley Federal Unit 135-2	U-0804	43-047-32016	A	OIL
Wonsits Valley Federal Unit 136	U-0804	43-047-31047	A	OIL
Wonsits Valley Federal Unit 137	U-0806	43-047-31523	A	OIL
Wonsits Valley Federal Unit 140	U-0807	43-047-31707	A	INJ
Wonsits Valley Federal Unit 141	ML-2237	43-047-31609	A	OIL

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 11 WG	U-0806	43-047-33085	A	GAS
Wonsits Valley Federal Unit 14 WG	U-0806	43-047-33070	A	GAS
Wonsits Valley Federal Unit 38 WG	U-022158	43-047-32831	A	GAS
Wonsits Valley Federal Unit 46 WG	U-022158	43-047-33241	A	GAS
Wonsits Valley Federal Unit 49 WG	U-022158	43-047-32832	a	GAS
Wonsits Valley Federal Unit 54 WG	U-22158	43-047-32821	A	GAS
Wonsits Valley Federal Unit 69 WG	U-057	43-047-32829	A	GAS
Wonsits Valley Federal Unit 81 WG	U-0810	43-047-33086	A	GAS
Wonsits Valley Federal Unit 83 WG	U-0809	43-047-20205	A	GAS
Wonsits Valley Federal Unit 138 WG	U-057	43-047-33054	A	GAS
Wonsits Valley Federal Unit 146 WG	U-057	43-047-33128	A	GAS
Wonsits Valley Federal Unit 18 WG	U-0807	43-047-33269	D	GAS
Wonsits Valley Federal Unit 22 WG	U-057	43-047-33294	D	GAS
Wonsits Valley Federal Unit 25 WG	U-022158	43-047-33295	D	GAS
Wonsits Valley Federal Unit 47 WG	U-0806	43-047-33221	D	GAS
Wonsits Valley Federal Unit 44 WG	U-0807	43-047-33220	D	GAS
Wonsits Valley Federal Unit 45 WG	U-0806	43-047-33270	D	GAS
Wonsits Valley Federal Unit 76 WG	ML-3084A	43-047-33223	D	GAS

Well	Lease	API Number	Status	Type
Wonsits Valley Federal Unit 142	ML-2237	43-047-31612	A	OIL
Wonsits Valley Federal Unit 143	U-0806	43-047-31808	A	INJ
Wonsits Valley Federal Unit 144	U-0806	43-047-31807	A	OIL
Wonsits Valley Federal Unit 145	U-057	43-047-31820	A	GAS

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH	4-KAS
2. CDW	5-SJ
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

CA No.**Unit:****WONSITS VALLEY****WELL(S)**

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
WVFU 144 WG	43-047-31807	5265	10	08S	21E	FEDERAL
WVFU 137	43-047-31523	5265	11	08S	21E	FEDERAL
WVFU 11 WG	43-047-33085	12436	12	08S	21E	FEDERAL
WVFU 14 WG	43-047-33070	12436	12	08S	21E	FEDERAL
WVFU 47 WG	43-047-33221	12436	13	08S	21E	FEDERAL
WVFU 45 WG	43-047-33270	12436	13	08S	21E	FEDERAL
WVFU 18 WG	43-047-33269	99999	14	08S	21E	FEDERAL
WVFU 44 WG	43-047-33220	12436	14	08S	21E	FEDERAL
WVFU 83 WG	43-047-20205	5265	23	08S	21E	FEDERAL
WVFU 81 WG	43-047-33086	12436	24	08S	21E	FEDERAL
WVFU 46 WG	43-047-33241	12436	07	08S	22E	FEDERAL
WVFU 54 WG	43-047-32821	12436	07	08S	22E	FEDERAL
WVFU 38 WG	43-047-32831	12436	08	08S	22E	FEDERAL
WVFU 49 WG	43-047-32832	12436	08	08S	22E	FEDERAL
WVFU 25 WG	43-047-33295	12436	08	08S	22E	FEDERAL
WVFU 69 WG	43-047-32829	12436	18	08S	22E	FEDERAL
WVFU 138 WG	43-047-33054	12436	18	08S	22E	FEDERAL
WVFU 22 WG	43-047-33294	12436	18	08S	22E	FEDERAL
WVFU 145 WG	43-047-31820	5265	18	08S	22E	FEDERAL
WVFU 146 WG	43-047-33128	12436	19	08S	22E	FEDERAL

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/23/2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885

5. If **NO**, the operator was contacted contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC"** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 08/23/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/23/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3.5.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:



Questar Exploration and Production Company
Independence Plaza
1050 17th Street, Suite 500
Denver, CO 80265
Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Wonsits Valley Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVU 16	15	080S	210E	4304715447	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 21	16	080S	210E	4304715452	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 31	14	080S	210E	4304715460	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 35	14	080S	210E	4304715463	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 36	10	080S	210E	4304715464	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 41	15	080S	210E	4304715469	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 43	11	080S	210E	4304715471	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 48	10	080S	210E	4304715476	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 50	15	080S	210E	4304715477	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 32	16	080S	210E	4304716513	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 53	10	080S	210E	4304720003	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 55	14	080S	210E	4304720005	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 59	14	080S	210E	4304720018	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 60	15	080S	210E	4304720019	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 62	10	080S	210E	4304720024	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 65	15	080S	210E	4304720041	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 67	15	080S	210E	4304720043	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 68	15	080S	210E	4304720047	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 72	16	080S	210E	4304720058	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237A	159261960
WVU 73	16	080S	210E	4304720066	5265	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 74	16	080S	210E	4304720078	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 75	16	080S	210E	4304720085	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 78	16	080S	210E	4304720115	99990	State	WI	A	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 83	23	080S	210E	4304720205	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0809	UT-0969
WVU 97	11	080S	210E	4304730014	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 103	14	080S	210E	4304730021	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 104	15	080S	210E	4304730022	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 105	10	080S	210E	4304730023	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 109	15	080S	210E	4304730045	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 110	14	080S	210E	4304730046	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 112	15	080S	210E	4304730048	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 124	15	080S	210E	4304730745	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	
WVU 126	21	080S	210E	4304730796	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 128	10	080S	210E	4304730798	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 132	15	080S	210E	4304730822	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 136	21	080S	210E	4304731047	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 28-2	11	080S	210E	4304731524	99990	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 140	15	080S	210E	4304731707	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 40-2	10	080S	210E	4304731798	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	unit name	field	county	type	lease #	bond #
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 143	10	080S	210E	4304731808	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVU 71-2	15	080S	210E	4304732449	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 119	21	080S	210E	4304732461	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVFU 120	22	080S	210E	4304732462	5265	Federal	WI	A	WONSITS VALLEY	710	S	UINTAH	1 U-0804	UT-0969
WVFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-22158	UT-0969
WVFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-806	UT-0969
WVFU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0810	UT-0969
WVFU 146 WG	19	080S	220E	4304733128	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1 U-057	UT-0969
WVFU 1W-14-8-21	14	080S	210E	4304733220	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 5W-13-8-21	13	080S	210E	4304733221	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 9W-13-8-21	13	080S	210E	4304733223	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-3084A	159261960
WVFU 46 WG	07	080S	220E	4304733241	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 2W-16-8-21	16	080S	210E	4304733246	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 2G-16-8-21	16	080S	210E	4304733247	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 9W-14-8-21	14	080S	210E	4304733269	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0807	UT-0969
WVFU 7W-13-8-21	13	080S	210E	4304733270	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 1W-18-8-22	18	080S	220E	4304733294	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 11W-8-8-22	08	080S	220E	4304733295	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 3W-8-8-22	08	080S	220E	4304733493	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 5W-7-8-22	07	080S	220E	4304733494	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 11W-7-8-22	07	080S	220E	4304733495	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 13W-7-8-22	07	080S	220E	4304733496	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 1W-7-8-22	07	080S	220E	4304733501	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WVFU 3W-7-8-22	07	080S	220E	4304733502	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-022158	UT-0969
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WVFU 6W-16-8-21	16	080S	210E	4304733527	12436	State	GW	P	C WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVFU 16W-9-8-21	09	080S	210E	4304733529	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0805	UT-0969
WVFU 1W-12-8-21	12	080S	210E	4304733531	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 1W-13-8-21	13	080S	210E	4304733532	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 3W-18-8-22	18	080S	220E	4304733533	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969
WVFU 9W-12-8-21	12	080S	210E	4304733534	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 11W-12-8-21	12	080S	210E	4304733535	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 11W-13-8-21	13	080S	210E	4304733536	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 13W-12-8-21	12	080S	210E	4304733537	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-0806	UT-0969
WVFU 13W-18-8-22	18	080S	220E	4304733538	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 U-057	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WVFU 6G-16-8-21	16	080S	210E	4304733564	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 1W-21-8-21	21	080S	210E	4304733602	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	UTU-68217	UT-0969
WVFU 3W-13-8-21	13	080S	210E	4304733603	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 3W-22-8-21	22	080S	210E	4304733604	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0804	UT-0969
WVFU 3W-24-8-21	24	080S	210E	4304733605	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 13W-13-8-21	13	080S	210E	4304733606	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 13W-14-8-21	14	080S	210E	4304733607	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0807	UT-0969
WVFU 15W-13-8-21	13	080S	210E	4304733608	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 1W-24-8-21	24	080S	210E	4304733613	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0810	UT-0969
WVFU 11W-18-8-22	18	080S	220E	4304733626	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 16W-2-8-21	02	080S	210E	4304733645	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2785	159261960
WVFU 9W-2-8-21	02	080S	210E	4304733648	12436	State	GW	P	WONSITS VALLEY	2 S	UINTAH	3	ML-2785	159261960
WVFU 12W-16-8-21	16	080S	210E	4304733649	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 12G-16-8-21	16	080S	210E	4304733650	5265	State	OW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-2237	159261960
WVFU 2W-10-8-21	10	080S	210E	4304733655	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 4W-11-8-21	11	080S	210E	4304733657	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12W-10-8-21	10	080S	210E	4304733659	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 15W-9-8-21	09	080S	210E	4304733661	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0805	UT-0969
WVFU 2W-13-8-21	13	080S	210E	4304733791	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 6W-13-8-21	13	080S	210E	4304733792	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 8W-13-8-21	13	080S	210E	4304733793	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-1-8-21	01	080S	210E	4304733794	12436	Federal	GW	S	WONSITS VALLEY	710 S	UINTAH	1	U-0802	UT-0969
WVFU 10W-13-8-21	13	080S	210E	4304733795	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-13-8-21	13	080S	210E	4304733796	12436	State	GW	P	WONSITS VALLEY	710 S	UINTAH	3	ML-3084	159261960
WVFU 12W-7-8-22	07	080S	220E	4304733808	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-8-8-22	08	080S	220E	4304733811	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 7W-8-8-22	08	080S	220E	4304733812	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-7-8-22	07	080S	220E	4304733813	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 10W-8-8-22	08	080S	220E	4304733814	13450	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 12W-8-8-22	08	080S	220E	4304733815	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 14W-7-8-22	07	080S	220E	4304733816	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 16W-7-8-22	07	080S	220E	4304733817	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-7-8-22	07	080S	220E	4304733828	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-022158	UT-0969
WVFU 6W-18-8-22	18	080S	220E	4304733842	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WC-18-8-22	18	080S	220E	4304733843	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 6WD-18-8-22	18	080S	220E	4304733844	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-057	UT-0969
WVFU 5W-23-8-21	23	080S	210E	4304733860	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 7W-23-8-21	23	080S	210E	4304733861	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0809	UT-0969
WVFU 8W-12-8-21	12	080S	210E	4304733862	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 10W-12-8-21	12	080S	210E	4304733863	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 14W-12-8-21	12	080S	210E	4304733864	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969
WVFU 16W-12-8-21	12	080S	210E	4304733865	12436	Federal	GW	P	WONSITS VALLEY	710 S	UINTAH	1	U-0806	UT-0969

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #		
WVFU 1W-15-8-21	15	080S	210E	4304733902	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 1W-22-8-21	22	080S	210E	4304733903	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-06304	UT-0969	
WVFU 1W-23-8-21	23	080S	210E	4304733904	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0809	UT-0969	
WVFU 6W-11-8-21	11	080S	210E	4304733906	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WV 7W-22-8-21	22	080S	210E	4304733907	13230	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0804	UT-0969	
WVFU 7W-24-8-21	24	080S	210E	4304733908	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0810	UT-0969	
WVFU 10W-11-8-21	11	080S	210E	4304733910	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 11W-15-8-21	15	080S	210E	4304733911	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 11W-17-8-21	17	080S	210E	4304733912	13228	Federal	GW	P	WONSITS VALLEY	2	S	UINTAH	1	UTU-68219	UT-0969	
WVFU 13W-11-8-21	11	080S	210E	4304733913	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 13W-15-8-21	15	080S	210E	4304733914	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 15W-10-8-21	10	080S	210E	4304733916	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 15W-15-8-21	15	080S	210E	4304733917	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 5W-14-8-21	14	080S	210E	4304733953	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 7W-14-8-21	14	080S	210E	4304733955	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 8W-11-8-21	11	080S	210E	4304733957	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 8W-14-8-21	14	080S	210E	4304733958	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 9W-15-8-21	15	080S	210E	4304733959	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 12W-13-8-21	13	080S	210E	4304733961	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969	
WVFU 14W-13-8-21	13	080S	210E	4304733962	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
WVFU 15W-14-8-21	14	080S	210E	4304733963	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969	
WVFU 2W-18-8-22	18	080S	220E	4304733986	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WV 8W-18-8-22	18	080S	220E	4304733989	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-9617	UT-0969	
WVFU 10W-18-8-22	18	080S	220E	4304733991	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WVFU 12W-18-8-22	18	080S	220E	4304733993	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WV 14W-18-8-22	18	080S	220E	4304733995	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-057	UT-0969	
WVFU 6W-1-8-21	01	080S	210E	4304734008		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WVFU 8W-1-8-21	01	080S	210E	4304734009	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 10G-2-8-21	02	080S	210E	4304734035	5265	State	OW	P	WONSITS VALLEY	2	S	UINTAH	3	ML-2785	159261960	
WV 14G-2-8-21	02	080S	210E	4304734036	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2785	159261960	
WV 4W-17-8-22	17	080S	220E	4304734038	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	U-055	UT-0969	
WV 16W-1-8-21	01	080S	210E	4304734047		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969
WV 13G-2-8-21	02	080S	210E	4304734068	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2785-A	159261960	
WV 5G-16-8-21	16	080S	210E	4304734107	5265	State	OW	P	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	P	WONSITS VALLEY	710	S	UINTAH	1	U-0802	UT-0969	
WV 2W-14-8-21	14	080S	210E	4304734140	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	U-0969	
GH 2W-21-8-21	21	080S	210E	4304734141	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 2W-23-8-21	23	080S	210E	4304734142	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0809	U-0969	
GH 3W-21-8-21	21	080S	210E	4304734143	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 4W-13-8-21	13	080S	210E	4304734144	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
GH 4W-21-8-21	21	080S	210E	4304734145	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969	
WV 4W-22-8-21	22	080S	210E	4304734146	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	U-0969	
WV 16W-11-8-21	11	080S	210E	4304734155	12436	Federal	GW	S	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969	
WV 3W-19-8-22	19	080S	220E	4304734187	12436	Federal	GW	P	WONSITS VALLEY	630	S	UINTAH	1	UTU-057	UT-0969	
WV 4W-23-8-21	23	080S	210E	4304734188	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969	

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat		unit_name	field		county	type	lease #	bond #
WV 6W-23-8-21	23	080S	210E	4304734189	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-809	UT-0969
WV 11W-16-8-21	16	080S	210E	4304734190	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 13W-16-8-21	16	080S	210E	4304734191	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 14W-16-8-21	16	080S	210E	4304734192	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 15W-16-8-21	16	080S	210E	4304734224	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 16W-16-8-21	16	080S	210E	4304734225	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237A	159261960
WV 2W-15-8-21	15	080S	210E	4304734242	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 2W-22-8-21	22	080S	210E	4304734243	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0804	UT-0969
WV 4W-14-8-21	14	080S	210E	4304734244	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 6W-12-8-21	12	080S	210E	4304734245	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 7W-15-8-21	15	080S	210E	4304734246	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	U-0807	UT-0969
WV 8W-15-8-21	15	080S	210E	4304734247	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-12-8-21	12	080S	210E	4304734248	12436	Federal	GW	TA		WONSITS VALLEY	710	S	UINTAH	1	U-0806	UT-0969
WV 14W-15-8-21	15	080S	210E	4304734249	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 16W-10-8-21	10	080S	210E	4304734250	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-15-8-21	15	080S	210E	4304734251	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-11-8-21	11	080S	210E	4304734263		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-11-8-21	11	080S	210E	4304734264		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 2W-12-8-21	12	080S	210E	4304734265	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-11-8-21	11	080S	210E	4304734266		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 3W-12-8-21	12	080S	210E	4304734267		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 4W-12-8-21	12	080S	210E	4304734268		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-11-8-21	11	080S	210E	4304734269		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 5W-12-8-21	12	080S	210E	4304734270	12436	Federal	GW	DRL	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 6W-14-8-21	14	080S	210E	4304734271	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 9W-11-8-21	11	080S	210E	4304734274		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 10W-14-8-21	14	080S	210E	4304734275	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 11W-11-8-21	11	080S	210E	4304734276		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 11W-14-8-21	14	080S	210E	4304734277	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 12W-11-8-21	11	080S	210E	4304734278		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 12W-14-8-21	14	080S	210E	4304734279	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 14W-11-8-21	11	080S	210E	4304734280		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 14W-14-8-21	14	080S	210E	4304734281	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 15W-11-8-21	11	080S	210E	4304734282		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0806	UT-0969
WV 16W-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 1W-16-8-21	16	080S	210E	4304734288		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 3W-15-8-21	15	080S	210E	4304734289		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 3W-16-8-21	16	080S	210E	4304734290		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 4W-15-8-21	15	080S	210E	4304734291		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 4W-16-8-21	16	080S	210E	4304734292		State	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960
WV 5W-15-8-21	15	080S	210E	4304734293		Federal	GW	APD	C	WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 6W-15-8-21	15	080S	210E	4304734294	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WV 10W-15-8-21	15	080S	210E	4304734295	12436	Federal	GW	P		WONSITS VALLEY	710	S	UINTAH	1	UTU-0807	UT-0969
WVU 5W-16-8-21	16	080S	210E	4304734321	12436	State	GW	DRL		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	04127294
WV 7W-16-8-21	16	080S	210E	4304734322	12436	State	GW	P		WONSITS VALLEY	710	S	UINTAH	3	ML-2237	159261960

SEI (N4235) to QEP (N2460) WONSITS VALLEY UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	unit_name	field	county	type	lease #	bond #
WV 8W-16-8-21	16	080S	210E	4304734323		State	GW	APD	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 9W-16-8-21	16	080S	210E	4304734325	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WV 10W-16-8-21	16	080S	210E	4304734326	12436	State	GW	P	WONSITS VALLEY	710	S	UINTAH	3 ML-2237	159261960
WVU 4W-24-8-21	24	080S	210E	4304734330	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0810	U-0969
WVU 2W-24-8-21	24	080S	210E	4304734337		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-0810	UT-0969
WVU 6W-24-8-21	24	080S	210E	4304734338		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-0810	UT-0969
WVU 8W-23-8-21	23	080S	210E	4304734339		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-0809	UT-0969
WVU 8W-24-8-21	24	080S	210E	4304734340	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0810	UT-0969
WV 2G-7-8-22	07	080S	220E	4304734355		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 2W-7-8-22	07	080S	220E	4304734356		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 4G-8-8-22	08	080S	220E	4304734357		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 4WA-18-8-22	18	080S	220E	4304734358		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 4WD-18-8-22	18	080S	220E	4304734359		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 13WA-18-8-22	18	080S	220E	4304734361		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 13WD-18-8-22	18	080S	220E	4304734362		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 2WA-18-8-22	18	080S	220E	4304734426		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 2WD-18-8-22	18	080S	220E	4304734427		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 3WA-18-8-22	18	080S	220E	4304734428		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 3WD-18-8-22	18	080S	220E	4304734429		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-057	UT-0969
WV 4W-8-8-22	08	080S	220E	4304734457		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 1W-8-8-22	08	080S	220E	4304734467		Federal	GW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 2W-8-8-22	08	080S	220E	4304734468	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 8W-7-8-22	07	080S	220E	4304734469	12436	Federal	GW	DRL	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	UT-0969
WV 8W-22-8-21	22	080S	210E	4304734564	12436	Federal	GW	P	WONSITS VALLEY	710	S	UINTAH	1 UTU-0804	U-0969
WV 3G-8-8-22	08	080S	220E	4304734596	5265	Federal	OW	TA	WONSITS VALLEY	710	S	UINTAH	1 U-022158	U-0969
WONSITS VALLEY 1G-7-8-22	07	080S	220E	4304734597		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 U-022158	U-0969
WONSITS VALLEY 5G-8-8-22	08	080S	220E	4304734612		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WONSITS VALLEY 7G-8-8-22	08	080S	220E	4304734613		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-76508	U-0969
WV 11G-8-8-22	08	080S	220E	4304734614		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WV 13G-8-8-22	08	080S	220E	4304734615		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WV 15G-7-8-22	07	080S	220E	4304734626		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WV 11G-7-8-22	07	080S	220E	4304734627		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WONSITS VALLEY 7G-7-8-22	07	080S	220E	4304734628		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WONSITS VALLEY 9G-7-8-22	07	080S	220E	4304734629		Federal	OW	APD	WONSITS VALLEY	710	S	UINTAH	1 UTU-02215	U-0969
WV EXT 2W-17-8-21	17	080S	210E	4304734928	12436	Federal	GW	DRL	WONSITS VALLEY	610	S	UINTAH	1 UTU-68219	UT-1237

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003**FROM:** (Old Operator):**TO:** (New Operator):

N4235-Shenandoah Energy Inc

11002 E 17500 S

Vernal, UT 84078-8526

Phone: (435) 781-4341

N2460-QEP Uinta Basin Inc

11002 E 17500 S

Vernal, UT 84078-8526

Phone: (435) 781-4341

CA No.

Unit:

WONSITS VALLEY UNIT

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
WVU 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WVU 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WVUFU 14 WG	12	080S	210E	4304733070	12436	Federal	GW	P	
WVUFU 11 WG	12	080S	210E	4304733085	12436	Federal	GW	P	
WVU 121	14	080S	210E	4304731873	5265	Federal	OW	S	
WVU 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WVU 134	16	080S	210E	4304731118	5265	State	OW	P	
WVU 141	16	080S	210E	4304731609	5265	State	OW	P	
WVU 127	16	080S	210E	4304731611	5265	State	OW	P	
WVU 142	16	080S	210E	4304731612	5265	State	OW	P	
WVU 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WVUFU 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WVU 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WVUFU 81 WG	24	080S	210E	4304733086	12436	Federal	GW	P	
WVUFU 54 WG	07	080S	220E	4304732821	12436	Federal	GW	P	
WVUFU 38 WG	08	080S	220E	4304732831	12436	Federal	GW	P	
WVUFU 49 WG	08	080S	220E	4304732832	12436	Federal	GW	P	
WVU 145	18	080S	220E	4304731820	12436	Federal	GW	P	
WVUFU 69 WG	18	080S	220E	4304732829	12436	Federal	GW	P	
WVUFU 138 WG	18	080S	220E	4304733054	12436	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/20032. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/20033. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/20034. Is the new operator registered in the State of Utah: YES Business Number: 5292864-01515. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 9/16/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/16/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.				Unit:	WONSITS VALLEY UNIT			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- a. Is the new operator registered in the State of Utah: Business Number: 764611-0143
- a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 16	WV 16	NENE	15	080S	210E	4304715447	5265	Federal	WI	A
WVU 31	WV 31	NENW	14	080S	210E	4304715460	5265	Federal	WI	A
WVU 35	WV 35	NESW	14	080S	210E	4304715463	5265	Federal	WI	A
WV 36	WV 36	NESW	10	080S	210E	4304715464	5265	Federal	WI	A
WVU 41	WV 41	NENW	15	080S	210E	4304715469	5265	Federal	WI	A
WV 43	WV 43	SWSW	11	080S	210E	4304715471	5265	Federal	OW	P
WV 48	WV 48	SWNE	10	080S	210E	4304715476	5265	Federal	OW	P
WVU 50	WV 50	SWNE	15	080S	210E	4304715477	5265	Federal	WI	A
WV 53	WV 53	SWSE	10	080S	210E	4304720003	5265	Federal	OW	P
WVU 55	WV 55	SWNE	14	080S	210E	4304720005	5265	Federal	OW	P
WVU 59	WV 59	SWNW	14	080S	210E	4304720018	5265	Federal	WI	A
WVU 60	WV 60	SWSE	15	080S	210E	4304720019	5265	Federal	WI	A
WV 62	WV 62	SWSW	10	080S	210E	4304720024	5265	Federal	OW	P
WVU 65	WV 65	SWNW	15	080S	210E	4304720041	5265	Federal	OW	P
WVU 67	WV 67	NESW	15	080S	210E	4304720043	5265	Federal	WI	A
WVU 68	WV 68	NESE	15	080S	210E	4304720047	5265	Federal	WI	A
WVU 83	WV 83 WG	NENW	23	080S	210E	4304720205	14864	Federal	GW	S
WV 97	WV 97	NWSW	11	080S	210E	4304730014	5265	Federal	WI	A
WVU 103	WV 103	NWNW	14	080S	210E	4304730021	5265	Federal	OW	P
WVU 104	WV 104	NWNE	15	080S	210E	4304730022	5265	Federal	OW	P
WV 105	WV 105	SESE	10	080S	210E	4304730023	5265	Federal	OW	P
WVU 109	WV 109	SENE	15	080S	210E	4304730045	5265	Federal	OW	P
WVU 110	WV 110	SENE	14	080S	210E	4304730046	5265	Federal	OW	P
WVU 112	WV 112	SENE	15	080S	210E	4304730048	5265	Federal	OW	P
WVU 124	WV 124	NWSE	15	080S	210E	4304730745	5265	Federal	OW	P
WVU 126	WV 126	NWNE	21	080S	210E	4304730796	5265	Federal	WI	A
WV 128	WV 128	SESW	10	080S	210E	4304730798	5265	Federal	OW	P
WVU 132	WV 132	NWSW	15	080S	210E	4304730822	5265	Federal	OW	P
WVU 136	WV 136	NENW	21	080S	210E	4304731047	5265	Federal	OW	S
WV 137	WV 137	SENE	11	080S	210E	4304731523	5265	Federal	OW	P
WV 28-2	WV 28-2	NESW	11	080S	210E	4304731524	99990	Federal	WI	A
WVU 133	WV 133	SESW	15	080S	210E	4304731706	5265	Federal	OW	P
WVU 140	WV 140	NWNW	15	080S	210E	4304731707	5265	Federal	WI	A
WV 40-2	WV 40-2	NESE	10	080S	210E	4304731798	5265	Federal	WI	A
WVU 144	WV 144	SENE	10	080S	210E	4304731807	5265	Federal	OW	P
WV 143	WV 143	NWSE	10	080S	210E	4304731808	5265	Federal	WI	A
WVU 145	WV 145	NWNW	18	080S	220E	4304731820	14864	Federal	GW	P
WVU 121	WV 121	NWSW	14	080S	210E	4304731873	5265	Federal	OW	TA
WVU 135-2	WV 135-2	NENE	21	080S	210E	4304732016	5265	Federal	OW	P
WVU 130	WV 130	NWNW	22	080S	210E	4304732307	5265	Federal	OW	P
WVU 71-2	WV 71-2	SWSW	15	080S	210E	4304732449	5265	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 119	WV 119	NWNW	21	080S	210E	4304732461	5265	Federal	OW	P
WVFU 120	WV 120	NENW	22	080S	210E	4304732462	5265	Federal	WI	A
WVFU 54 WG	WV 54 WG	SWSE	07	080S	220E	4304732821	14864	Federal	GW	P
WVFU 69 WG	WV 69 WG	SWNE	18	080S	220E	4304732829	14864	Federal	GW	P
WVFU 38 WG	WV 38 WG	SWNW	08	080S	220E	4304732831	14864	Federal	GW	P
WVFU 49 WG	WV 49 WG	SWSW	08	080S	220E	4304732832	14864	Federal	GW	P
WVFU 138 WG	WV 138 WG	SWNW	18	080S	220E	4304733054	14864	Federal	GW	P
WVFU 14 WG	WV 14 WG	SWSE	12	080S	210E	4304733070	14864	Federal	GW	P
WVFU 11 WG	WV 11 WG	SWNE	12	080S	210E	4304733085	14864	Federal	GW	P
WVFU 81 WG	WV 81 WG	SWNW	24	080S	210E	4304733086	14864	Federal	GW	P
WVFU 146 WG	WV 146 WG	NWNW	19	080S	220E	4304733128	14864	Federal	GW	P
WVFU 1W-14-8- 21	WV 1W-14-8- 21	NENE	14	080S	210E	4304733220	14864	Federal	GW	P
WVFU 5W-13- 8-21	WV 5W-13- 8-21	SWNW	13	080S	210E	4304733221	14864	Federal	GW	P
WVFU 46 WG	WVFU 46 WG	NESE	07	080S	220E	4304733241	14864	Federal	GW	P
WVFU 9W-14-8-21	WV 9W-14-8-21	NESE	14	080S	210E	4304733269	14864	Federal	GW	P
WVFU 7W-13-8-21	WV 7W-13-8-21	SWNE	13	080S	210E	4304733270	14864	Federal	GW	P
WVFU 1W-18-8-22	WV 1W-18-8-22	NENE	18	080S	220E	4304733294	14864	Federal	GW	P
WVFU 11W-8-8-22	WV 11W-8-8-22	NESW	08	080S	220E	4304733295	14864	Federal	GW	P
WVFU 3W-8-8-22	WV 3W-8-8-22	NENW	08	080S	220E	4304733493	14864	Federal	GW	S
WVFU 5W-7-8-22	WV 5W-7-8-22	SWNW	07	080S	220E	4304733494	14864	Federal	GW	P
WVFU 11W-7-8-22	WV 11W-7-8-22	NESW	07	080S	220E	4304733495	14864	Federal	GW	P
WVFU 13W-7-8-22	WV 13W-7-8-22	SWSW	07	080S	220E	4304733496	14864	Federal	GW	P
WVFU 1W-7-8-22	WV 1W-7-8-22	NENE	07	080S	220E	4304733501	14864	Federal	GW	P
WVFU 3W-7-8-22	WV 3W-7-8-22	NENW	07	080S	220E	4304733502	14864	Federal	GW	P
WV 7WRG-7-8-22	WV 7WRG-7-8-22	SWNE	07	080S	220E	4304733503	5265	Federal	OW	P
WVFU 16W-9-8-21	WV 16W-9-8-21	SESE	09	080S	210E	4304733529	14864	Federal	GW	P
WVFU 1W-12-8-21	WV 1W-12-8-21	NENE	12	080S	210E	4304733531	14864	Federal	GW	P
WVFU 1W-13-8-21	WV 1W-13-8-21	NENE	13	080S	210E	4304733532	14864	Federal	GW	P
WVFU 3W-18-8-22	WV 3W-18-8-22	NENW	18	080S	220E	4304733533	14864	Federal	GW	P
WVFU 9W-12-8-21	WV 9W-12-8-21	NESE	12	080S	210E	4304733534	14864	Federal	GW	P
WVFU 11W-12-8-21	WV 11W-12-8-21	NESW	12	080S	210E	4304733535	14864	Federal	GW	P
WVFU 11W-13-8-21	WV 11W-13-8-21	NESW	13	080S	210E	4304733536	14864	Federal	GW	P
WVFU 13W-12-8-21	WV 13W-12-8-21	SWSW	12	080S	210E	4304733537	14864	Federal	GW	S
WVFU 13W-18-8-22	WV 13W-18-8-22	SWSW	18	080S	220E	4304733538	14864	Federal	GW	P
WVFU 16G-9-8-21	WV 16G-9-8-21	SESE	09	080S	210E	4304733565	5265	Federal	OW	P
WVFU 1W-21-8-21	WV 1W-21-8-21	NENE	21	080S	210E	4304733602	14864	Federal	GW	P
WVFU 3W-13-8-21	WV 3W-13-8-21	NENW	13	080S	210E	4304733603	14864	Federal	GW	S
WVFU 3W-22-8-21	WV 3W-22-8-21	NENW	22	080S	210E	4304733604	14864	Federal	GW	P
WVFU 3W-24-8-21	WV 3W-24-8-21	NENW	24	080S	210E	4304733605	14864	Federal	GW	P
WVFU 13W-13-8-21	WV 13W-13-8-21	SWSW	13	080S	210E	4304733606	14864	Federal	GW	S
WVFU 13W-14-8-21	WV 13W-14-8-21	SWSW	14	080S	210E	4304733607	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-13-8-21	WV 15W-13-8-21	SWSE	13	080S	210E	4304733608	14864	Federal	GW	S
WVFU 1W-24-8-21	WV 1W-24-8-21	NENE	24	080S	210E	4304733613	14864	Federal	GW	P
WVFU 11W-18-8-22	WV 11W-18-8-22	NESW	18	080S	220E	4304733626	14864	Federal	GW	P
WV 2W-10-8-21	WV 2W-10-8-21	NWNE	10	080S	210E	4304733655	14864	Federal	GW	P
WV 4W-11-8-21	WV 4W-11-8-21	NWNW	11	080S	210E	4304733657	14864	Federal	GW	P
WV 12W-10-8-21	WV 12W-10-8-21	NWSW	10	080S	210E	4304733659	14864	Federal	GW	S
WV 12G-10-8-21	WV 12G-10-8-21	NWSW	10	080S	210E	4304733660	5265	Federal	OW	P
WVFU 15W-9-8-21	WV 15W-9-8-21	SWSE	09	080S	210E	4304733661	14864	Federal	GW	P
WVFU 15G-9-8-21	WV 15G-9-8-21	SWSE	09	080S	210E	4304733662	5265	Federal	OW	P
WVFU 2W-13-8-21	WV 2W-13-8-21	NWNE	13	080S	210E	4304733791	14864	Federal	GW	P
WVFU 6W-13-8-21	WV 6W-13-8-21	SENW	13	080S	210E	4304733792	14864	Federal	GW	P
WVFU 8W-13-8-21	WV 8W-13-8-21	SENE	13	080S	210E	4304733793	14864	Federal	GW	P
WV 10W-1-8-21	WV 10W-1-8-21	NWSE	01	080S	210E	4304733794	14864	Federal	GW	TA
WVFU 10W-13-8-21	WV 10W-13-8-21	NWSE	13	080S	210E	4304733795	14864	Federal	GW	P
WVFU 12W-7-8-22	WV 12W-7-8-22	NWSW	07	080S	220E	4304733808	14864	Federal	GW	P
WVFU 6W-8-8-22	WV 6W-8-8-22	SENW	08	080S	220E	4304733811	14864	Federal	GW	P
WVFU 7W-8-8-22	WV 7W-8-8-22	SWNE	08	080S	220E	4304733812	14864	Federal	GW	S
WVFU 10W-7-8-22	WV 10W-7-8-22	NWSE	07	080S	220E	4304733813	14864	Federal	GW	P
WVFU 12W-8-8-22	WV 12W-8-8-22	NWSW	08	080S	220E	4304733815	14864	Federal	GW	P
WVFU 14W-7-8-22	WV 14W-7-8-22	SESW	07	080S	220E	4304733816	14864	Federal	GW	P
WVFU 16W-7-8-22	WV 16W-7-8-22	SESE	07	080S	220E	4304733817	14864	Federal	GW	P
WVFU 6W-7-8-22	WV 6W-7-8-22	SENW	07	080S	220E	4304733828	14864	Federal	GW	P
WVFU 6W-18-8-22	WV 6W-18-8-22	SENW	18	080S	220E	4304733842	14864	Federal	GW	P
WVFU 6WC-18-8-22	WV 6WC-18-8-22	SENW	18	080S	220E	4304733843	14864	Federal	GW	P
WVFU 6WD-18-8-22	WV 6WD-18-8-22	SENW	18	080S	220E	4304733844	14864	Federal	GW	P
WVFU 5W-23-8-21	WV 5W-23-8-21	SWNW	23	080S	210E	4304733860	14864	Federal	GW	P
WVFU 7W-23-8-21	WV 7W-23-8-21	SWNE	23	080S	210E	4304733861	14864	Federal	GW	P
WVFU 8W-12-8-21	WV 8W-12-8-21	SENE	12	080S	210E	4304733862	14864	Federal	GW	P
WVFU 10W-12-8-21	WV 10W-12-8-21	NWSE	12	080S	210E	4304733863	14864	Federal	GW	P
WVFU 14W-12-8-21	WV 14W-12-8-21	SESW	12	080S	210E	4304733864	14864	Federal	GW	P
WVFU 16W-12-8-21	WV 16W-12-8-21	SESE	12	080S	210E	4304733865	14864	Federal	GW	P
WVFU 1W-15-8-21	WV 1W-15-8-21	NENE	15	080S	210E	4304733902	14864	Federal	GW	S
WVFU 1W-22-8-21	WV 1W-22-8-21	NENE	22	080S	210E	4304733903	14864	Federal	GW	P
WVFU 1W-23-8-21	WV 1W-23-8-21	NENE	23	080S	210E	4304733904	14864	Federal	GW	P
WV 6W-11-8-21	WV 6W-11-8-21	SENW	11	080S	210E	4304733906	14864	Federal	GW	P
WVFU 7W-24-8-21	WV 7W-24-8-21	SWNE	24	080S	210E	4304733908	14864	Federal	GW	P
WV 10W-11-8-21	WV 10W-11-8-21	NWSE	11	080S	210E	4304733910	14864	Federal	GW	P
WVFU 11W-15-8-21	WV 11W-15-8-21	NESW	15	080S	210E	4304733911	14864	Federal	GW	P
WV 13W-11-8-21	WV 13W-11-8-21	SWSW	11	080S	210E	4304733913	14864	Federal	GW	S
WVFU 13W-15-8-21	WV 13W-15-8-21	SWSW	15	080S	210E	4304733914	14864	Federal	GW	P
WV 15W-10-8-21	WV 15W-10-8-21	SWSE	10	080S	210E	4304733916	14864	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVFU 15W-15-8-21	WV 15W-15-8-21	SWSE	15	080S	210E	4304733917	14864	Federal	GW	P
WVFU 5W-14-8-21	WV 5W-14-8-21	SWNW	14	080S	210E	4304733953	14864	Federal	GW	P
WVFU 7W-14-8-21	WV 7W-14-8-21	SWNE	14	080S	210E	4304733955	14864	Federal	GW	P
WV 8W-11-8-21	WV 8W-11-8-21	SENE	11	080S	210E	4304733957	14864	Federal	GW	S
WVFU 8W-14-8-21	WV 8W-14-8-21	SENE	14	080S	210E	4304733958	14864	Federal	GW	P
WVFU 9W-15-8-21	WV 9W-15-8-21	NESE	15	080S	210E	4304733959	14864	Federal	GW	P
WVFU 12W-13-8-21	WV 12W-13-8-21	NWSW	13	080S	210E	4304733961	14864	Federal	GW	P
WVFU 14W-13-8-21	WV 14W-13-8-21	SESW	13	080S	210E	4304733962	14864	Federal	GW	P
WVFU 15W-14-8-21	WV 15W-14-8-21	SWSE	14	080S	210E	4304733963	14864	Federal	GW	P
WVFU 2W-18-8-22	WV 2W-18-8-22	NWNE	18	080S	220E	4304733986	14864	Federal	GW	P
WV 8W-18-8-22	WV 8W-18-8-22	SENE	18	080S	220E	4304733989	14864	Federal	GW	P
WVFU 10W-18-8-22	WV 10W-18-8-22	NWSE	18	080S	220E	4304733991	14864	Federal	GW	P
WVFU 12W-18-8-22	WV 12W-18-8-22	NWSW	18	080S	220E	4304733993	14864	Federal	GW	P
WV 14W-18-8-22	WV 14W-18-8-22	SESW	18	080S	220E	4304733995	14864	Federal	GW	P
WVFU 8W-1-8-21	WV 8W-1-8-21	SENE	01	080S	210E	4304734009	14864	Federal	GW	DRL
WV 4W-17-8-22	WV 4W-17-8-22	NWNW	17	080S	220E	4304734038	14864	Federal	GW	P
WV 12G-1-8-21	WV 12G-1-8-21	NWSW	01	080S	210E	4304734108	5265	Federal	OW	TA
WV 2W-14-8-21	WV 2W-14-8-21	NWNE	14	080S	210E	4304734140	14864	Federal	GW	P
GH 2W-21-8-21	GH 2W-21-8-21	NWNE	21	080S	210E	4304734141	14864	Federal	GW	P
WV 2W-23-8-21	WV 2W-23-8-21	NWNE	23	080S	210E	4304734142	14864	Federal	GW	P
GH 3W-21-8-21	WV 3W-21-8-21	NENW	21	080S	210E	4304734143	14864	Federal	GW	P
WV 4W-13-8-21	WV 4W-13-8-21	NWNW	13	080S	210E	4304734144	14864	Federal	GW	P
GH 4W-21-8-21	WV 4W-21-8-21	NWNW	21	080S	210E	4304734145	14864	Federal	GW	P
WV 4W-22-8-21	WV 4W-22-8-21	NWNW	22	080S	210E	4304734146	14864	Federal	GW	P
WV 16W-11-8-21	WV 16W-11-8-21	SESE	11	080S	210E	4304734155	14864	Federal	GW	TA
WV 3W-19-8-22	WV 3W-19-8-22	NENW	19	080S	220E	4304734187	14864	Federal	GW	P
WV 4W-23-8-21	WV 4W-23-8-21	NWNW	23	080S	210E	4304734188	14864	Federal	GW	P
WV 6W-23-8-21	WV 6W-23-8-21	SENE	23	080S	210E	4304734189	14864	Federal	GW	P
WV 2W-15-8-21	WV 2W-15-8-21	NWNE	15	080S	210E	4304734242	14864	Federal	GW	P
WV 2W-22-8-21	WV 2W-22-8-21	NWNE	22	080S	210E	4304734243	14864	Federal	GW	P
WV 4W-14-8-21	WV 4W-14-8-21	NWNW	14	080S	210E	4304734244	14864	Federal	GW	P
WV 6W-12-8-21	WV 6W-12-8-21	SENE	12	080S	210E	4304734245	5265	Federal	GW	S
WV 7W-15-8-21	WV 7W-15-8-21	SWNE	15	080S	210E	4304734246	14864	Federal	GW	P
WV 8W-15-8-21	WV 8W-15-8-21	SENE	15	080S	210E	4304734247	14864	Federal	GW	P
WV 12W-12-8-21	WV 12W-12-8-21	NWSW	12	080S	210E	4304734248	14864	Federal	GW	S
WV 14W-15-8-21	WV 14W-15-8-21	SESW	15	080S	210E	4304734249	14864	Federal	GW	P
WV 16W-10-8-21	WV 16W-10-8-21	SESE	10	080S	210E	4304734250	14864	Federal	GW	P
WV 16W-15-8-21	WV 16W-15-8-21	SESE	15	080S	210E	4304734251	14864	Federal	GW	P
WV 2W-12-8-21	WV 2W-12-8-21	NWNE	12	080S	210E	4304734265	14864	Federal	GW	OPS
WV 3W-12-8-21	WV 3W-12-8-21	NENW	12	080S	210E	4304734267	14864	Federal	GW	OPS
WV 4W-12-8-21	WV 4D-12-8-21	NWNW	12	080S	210E	4304734268	12436	Federal	GW	DRL

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 5W-12-8-21	WV 5W-12-8-21	SWNW	12	080S	210E	4304734270	14864	Federal	GW	OPS
WV 6W-14-8-21	WV 6W-14-8-21	SENE	14	080S	210E	4304734271	14864	Federal	GW	P
WV 9W-11-8-21	WV 9W-11-8-21	NESE	11	080S	210E	4304734274	14864	Federal	GW	DRL
WV 10W-14-8-21	WV 10W-14-8-21	NWSE	14	080S	210E	4304734275	14864	Federal	GW	S
WV 11W-14-8-21	WV 11W-14-8-21	NESW	14	080S	210E	4304734277	14864	Federal	GW	P
WV 12W-14-8-21	WV 12W-14-8-21	NWSW	14	080S	210E	4304734279	14864	Federal	GW	S
WV 14M-11-8-21	WV 14M-11-8-21	SESW	11	080S	210E	4304734280	14864	Federal	GW	P
WV 14W-14-8-21	WV 14W-14-8-21	SESW	14	080S	210E	4304734281	14864	Federal	GW	P
WV 16W-14-8-21	WV 16G-14-8-21	SESE	14	080S	210E	4304734283	5265	Federal	OW	S
WV 3MU-15-8-21	WV 3MU-15-8-21	NENW	15	080S	210E	4304734289	14864	Federal	GW	P
WV 4MU-15-8-21	WV 4MU-15-8-21	NWNW	15	080S	210E	4304734291	14864	Federal	GW	P
WV 5MU-15-8-21	WV 5MU-15-8-21	SWNW	15	080S	210E	4304734293	14864	Federal	GW	P
WV 6W-15-8-21	WV 6W-15-8-21	SENE	15	080S	210E	4304734294	14864	Federal	GW	P
WV 10W-15-8-21	WV 10W-15-8-21	NWSE	15	080S	210E	4304734295	14864	Federal	GW	P
WVU 4W-24-8-21	WV 4W-24-8-21	NWNW	24	080S	210E	4304734330	14864	Federal	GW	P
WV 8M-23-8-21	WV 8M-23-8-21	SENE	23	080S	210E	4304734339	14864	Federal	GW	P
WVU 8W-24-8-21	WV 8W-24-8-21	SENE	24	080S	210E	4304734340	14864	Federal	GW	P
WV 2W-8-8-22	WV 2W-8-8-22	NWNE	08	080S	220E	4304734468	14864	Federal	GW	P
WV 8W-7-8-22	WV 8W-7-8-22	SENE	07	080S	220E	4304734469	14864	Federal	GW	S
WV 8W-22-8-21	WV 8W-22-8-21	SENE	22	080S	210E	4304734564	14864	Federal	GW	P
WV 3G-8-8-22	WV 3G-8-8-22	NENW	08	080S	220E	4304734596	5265	Federal	OW	TA
WV 14MU-10-8-21	WV 14MU-10-8-21	SESW	10	080S	210E	4304735879	14864	Federal	GW	P
WV 13MU-10-8-21	WV 13MU-10-8-21	SWSW	10	080S	210E	4304736305	14864	Federal	GW	P
WV 3DML-13-8-21	WV 3D-13-8-21	SENE	13	080S	210E	4304737923	14864	Federal	GW	DRL
WV 14DML-12-8-21	WV 14DML-12-8-21	SESW	12	080S	210E	4304737924	14864	Federal	GW	DRL
WV 15AML-12-8-21	WV 15AML-12-8-21	NWSE	12	080S	210E	4304737925		Federal	GW	APD
WV 13DML-10-8-21	WV 13DML-10-8-21	SWSW	10	080S	210E	4304737926	14864	Federal	GW	P
WV 4DML-15-8-21	WV 4DML-15-8-21	NWNW	15	080S	210E	4304737927	14864	Federal	GW	DRL
WV 13AD-8-8-22	WV 13AD-8-8-22	SWSW	08	080S	220E	4304737945		Federal	GW	APD
WV 11AML-14-8-21	WV 11AD-14-8-21	NWSE	14	080S	210E	4304738049	15899	Federal	GW	APD
WV 11DML-14-8-21	WV 11DML-14-8-21	SESW	14	080S	210E	4304738050		Federal	GW	APD
WV 4AML-19-8-22	WV 4AML-19-8-22	NWNW	19	080S	220E	4304738051		Federal	GW	APD
WV 13CML-8-8-22	WV 13CML-8-8-22	SWSW	08	080S	220E	4304738431		Federal	GW	APD
WV 13BML-18-8-22	WV 13BML-18-8-22	SWSW	18	080S	220E	4304738432		Federal	GW	APD
WV 8BML-18-8-22	WV 8BML-18-8-22	E/NE	18	080S	220E	4304738433		Federal	GW	APD
WV 6ML-24-8-21	WV 6-24-8-21	SENE	24	080S	210E	4304738663		Federal	GW	APD
WV 2ML-24-8-21	WV 2ML-24-8-21	NWNE	24	080S	210E	4304738664		Federal	GW	APD
WV 1DML-13-8-21	WV 1DML-13-8-21	NENE	13	080S	210E	4304738733		Federal	GW	APD
WV 4DML-13-8-21	WV 4DML-13-8-21	NWNW	13	080S	210E	4304738734		Federal	GW	APD
WV 3AML-14-8-21	WV 3AML-14-8-21	NENW	14	080S	210E	4304738736		Federal	GW	APD
WV 16CML-14-8-21	WV 16C-14-8-21	SESE	14	080S	210E	4304738737		Federal	GW	APD

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WVU 21	WV 21	NENE	16	080S	210E	4304715452	99990	State	WI	A
WVU 32	WV 32	NENW	16	080S	210E	4304716513	5265	State	OW	P
WVU 72	WV 72	SWSW	16	080S	210E	4304720058	99990	State	WI	A
WVU 73	WV 73	NESE	16	080S	210E	4304720066	5265	State	WI	A
WVU 74	WV 74	SWSE	16	080S	210E	4304720078	5265	State	OW	P
WVU 75	WV 75	SWNE	16	080S	210E	4304720085	5265	State	OW	P
WVU 78	WV 78	NESW	16	080S	210E	4304720115	99990	State	WI	A
WVU 134	WV 134	SESE	16	080S	210E	4304731118	5265	State	OW	P
WVU 141	WV 141	NWSE	16	080S	210E	4304731609	5265	State	OW	P
WVU 127	WV 127	SENE	16	080S	210E	4304731611	5265	State	OW	P
WVU 142	WV 142	SESW	16	080S	210E	4304731612	5265	State	OW	P
WVUFU 9W-13-8-21	WV 9W-13-8-21	NESE	13	080S	210E	4304733223	14864	State	GW	S
WVUFU 2W-16-8-21	WV 2W-16-8-21	NWNE	16	080S	210E	4304733246	14864	State	GW	P
WVUFU 2G-16-8-21	WV 2G-16-8-21	NWNE	16	080S	210E	4304733247	5265	State	OW	P
WVUFU 6W-16-8-21	WV 6W-16-8-21	SENW	16	080S	210E	4304733527	14864	State	GW	P
WVUFU 6G-16-8-21	WV 6G-16-8-21	SENW	16	080S	210E	4304733564	5265	State	OW	P
WVUFU 16W-2-8-21	WV 16W-2-8-21	SESE	02	080S	210E	4304733645	5265	State	OW	S
WVUFU 9W-2-8-21	WV 9W-2-8-21	NESE	02	080S	210E	4304733648	14864	State	GW	P
WVUFU 12W-16-8-21	WV 12W-16-8-21	NWSW	16	080S	210E	4304733649	14864	State	GW	P
WVUFU 12G-16-8-21	WV 12G-16-8-21	NWSW	16	080S	210E	4304733650	5265	State	OW	P
WVUFU 16W-13-8-21	WV 16W-13-8-21	SESE	13	080S	210E	4304733796	14864	State	GW	P
WV 10G-2-8-21	WV 10G-2-8-21	NWSE	02	080S	210E	4304734035	5265	State	OW	P
WV 14G-2-8-21	WV 14G-2-8-21	SESW	02	080S	210E	4304734036	5265	State	OW	P
WV 13G-2-8-21	WV 13G-2-8-21	SWSW	02	080S	210E	4304734068	5265	State	OW	P
WV 5G-16-8-21	WV 5G-16-8-21	SWNW	16	080S	210E	4304734107	5265	State	OW	P
WV 11W-16-8-21	WV 11W-16-8-21	NESW	16	080S	210E	4304734190	14864	State	GW	P
WV 13W-16-8-21	WV 13W-16-8-21	SWSW	16	080S	210E	4304734191	14864	State	GW	P
WV 14W-16-8-21	WV 14W-16-8-21	SESW	16	080S	210E	4304734192	14864	State	GW	P
WV 15W-16-8-21	WV 15W-16-8-21	SWSE	16	080S	210E	4304734224	14864	State	GW	P
WV 16W-16-8-21	WV 16W-16-8-21	SESE	16	080S	210E	4304734225	14864	State	GW	P
WV 1MU-16-8-21	WV 1MU-16-8-21	NENE	16	080S	210E	4304734288	14864	State	GW	P
WV 3W-16-8-21	WV 3W-16-8-21	NENW	16	080S	210E	4304734290		State	GW	LA
WV 4W-16-8-21	WV 4W-16-8-21	NWNW	16	080S	210E	4304734292	12436	State	D	PA
WVU 5W-16-8-21	WV 5W-16-8-21	SWNW	16	080S	210E	4304734321	14864	State	GW	P
WV 7W-16-8-21	WV 7W-16-8-21	SWNE	16	080S	210E	4304734322	14864	State	GW	P
WV 8ML-16-8-21	WV 8ML-16-8-21	SENE	16	080S	210E	4304734323	14864	State	GW	P
WV 9W-16-8-21	WV 9W-16-8-21	NESE	16	080S	210E	4304734325	14864	State	GW	P
WV 10W-16-8-21	WV 10W-16-8-21	NWSE	16	080S	210E	4304734326	14864	State	GW	P
WV 12BML-16-8-21	WV 12BML-16-8-21	SWNW	16	080S	210E	4304737824	14864	State	GW	P
WV 12DML-16-8-21	WV 12D-16-8-21	NWSW	16	080S	210E	4304737870		State	GW	APD
WV 15CML-16-8-21	WV 15CML-16-8-21	SESW	16	080S	210E	4304737871	14864	State	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
WONSITS VALLEY UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WV 15DML-16-8-21	WV 15DML-16-8-21	SWSE	16	080S	210E	4304737872		State	GW	APD
WV 16DML-13-8-21	WV 16DML-13-8-21	SESE	13	080S	210E	4304738735		State	GW	APD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068		8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Uintah

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry	TITLE Supervisor, Regulatory Affairs
SIGNATURE 	DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:

QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:

1050 17th Street Suite 500 Denver

STATE CO ZIP 80265

PHONE NUMBER:

(303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature]

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Wonsits Valley Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Wonsits Valley Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Wonsits Valley Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Wonsits Valley Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Wonsits Valley Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	--

CA No.

Unit:

WONSITS VALLEY

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
See attached

1. TYPE OF WELL

OIL WELL ☐ GAS WELL ☐ OTHER _____

8. WELL NAME and NUMBER:
See attached

2. NAME OF OPERATOR:

Questar Exploration and Production Company *N5085*

9. API NUMBER:
Attached

3. ADDRESS OF OPERATOR:

1050 17th Street, Suite 500 Denver

STATE CO ZIP 80265

PHONE NUMBER:
(303) 672-6900

10. FIELD AND POOL, OR WILDCAT:
See attached

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: ~~965003033~~

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE *Morgan Anderson*

DATE 6/23/2010

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/30/2009*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S	210E	4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S	210E	4304720024	5265	Federal	OW	P	
WV 65	15	080S	210E	4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S	210E	4304720205	17123	Federal	GW	P	
WV 103	14	080S	210E	4304730021	5265	Federal	OW	P	
WV 104	15	080S	210E	4304730022	5265	Federal	OW	P	
WV 105	10	080S	210E	4304730023	5265	Federal	OW	P	
WV 109	15	080S	210E	4304730045	5265	Federal	OW	P	
WV 110	14	080S	210E	4304730046	5265	Federal	OW	P	
WV 112	15	080S	210E	4304730048	5265	Federal	OW	P	
WV 124	15	080S	210E	4304730745	5265	Federal	OW	P	
WV 128	10	080S	210E	4304730798	5265	Federal	OW	P	
WV 132	15	080S	210E	4304730822	5265	Federal	OW	P	
WV 136	21	080S	210E	4304731047	5265	Federal	OW	S	
WV 137	11	080S	210E	4304731523	5265	Federal	OW	P	
WV 133	15	080S	210E	4304731706	5265	Federal	OW	P	
WV 144	10	080S	210E	4304731807	5265	Federal	OW	P	
WV 145	18	080S	220E	4304731820	17123	Federal	GW	P	
WV 121	14	080S	210E	4304731873	5265	Federal	OW	TA	
WV 135-2	21	080S	210E	4304732016	5265	Federal	OW	P	
WV 130	22	080S	210E	4304732307	5265	Federal	OW	P	
WV 119	21	080S	210E	4304732461	5265	Federal	OW	P	
WV 54 WG	07	080S	220E	4304732821	17123	Federal	GW	P	
WV 69 WG	18	080S	220E	4304732829	17123	Federal	GW	P	
WV 38 WG	08	080S	220E	4304732831	17123	Federal	GW	P	
WV 49 WG	08	080S	220E	4304732832	17123	Federal	GW	P	
WV 138 WG	18	080S	220E	4304733054	17123	Federal	GW	P	
WV 14 WG	12	080S	210E	4304733070	17123	Federal	GW	P	
WV 11 WG	12	080S	210E	4304733085	17123	Federal	GW	P	
WV 81 WG	24	080S	210E	4304733086	17123	Federal	GW	S	
WV 146 WG	19	080S	220E	4304733128	17123	Federal	GW	P	
WV 1W-14-8- 21	14	080S	210E	4304733220	17123	Federal	GW	P	
WV 5W-13- 8-21	13	080S	210E	4304733221	17123	Federal	GW	P	
WV 46 WG	07	080S	220E	4304733241	17123	Federal	GW	P	
WV 9W-14-8-21	14	080S	210E	4304733269	17123	Federal	GW	P	
WV 7W-13-8-21	13	080S	210E	4304733270	17123	Federal	GW	P	
WV 1W-18-8-22	18	080S	220E	4304733294	17123	Federal	GW	P	
WV 11W-8-8-22	08	080S	220E	4304733295	17123	Federal	GW	P	
WV 3W-8-8-22	08	080S	220E	4304733493	17123	Federal	GW	S	
WV 5W-7-8-22	07	080S	220E	4304733494	17123	Federal	GW	S	
WV 11W-7-8-22	07	080S	220E	4304733495	17123	Federal	GW	P	
WV 13W-7-8-22	07	080S	220E	4304733496	17123	Federal	GW	P	
WV 1W-7-8-22	07	080S	220E	4304733501	17123	Federal	GW	P	
WV 3W-7-8-22	07	080S	220E	4304733502	17123	Federal	GW	P	
WV 7WRG-7-8-22	07	080S	220E	4304733503	5265	Federal	OW	P	
WV 16W-9-8-21	09	080S	210E	4304733529	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 965010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 1W-12-8-21	12	080S	210E	4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S	210E	4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18	080S	220E	4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12	080S	210E	4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12	080S	210E	4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S	210E	4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S	210E	4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S	220E	4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21	080S	210E	4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	
WV 1W-24-8-21	24	080S	210E	4304733613	17123	Federal	GW	P	
WV 11W-18-8-22	18	080S	220E	4304733626	17123	Federal	GW	P	
WV 2W-10-8-21	10	080S	210E	4304733655	17123	Federal	GW	P	
WV 4W-11-8-21	11	080S	210E	4304733657	17123	Federal	GW	P	
WV 12W-10-8-21	10	080S	210E	4304733659	17123	Federal	GW	S	
WV 12G-10-8-21	10	080S	210E	4304733660	5265	Federal	OW	P	
WV 15W-9-8-21	09	080S	210E	4304733661	17123	Federal	GW	P	
WV 15G-9-8-21	09	080S	210E	4304733662	5265	Federal	OW	P	
WV 2W-13-8-21	13	080S	210E	4304733791	17123	Federal	GW	P	
WV 6W-13-8-21	13	080S	210E	4304733792	17123	Federal	GW	P	
WV 8W-13-8-21	13	080S	210E	4304733793	17123	Federal	GW	P	
WV 10W-1-8-21	01	080S	210E	4304733794	17123	Federal	GW	TA	
WV 10W-13-8-21	13	080S	210E	4304733795	17123	Federal	GW	P	
WV 12W-7-8-22	07	080S	220E	4304733808	17123	Federal	GW	P	
WV 6W-8-8-22	08	080S	220E	4304733811	17123	Federal	GW	P	
WV 7W-8-8-22	08	080S	220E	4304733812	17123	Federal	GW	P	
WV 10W-7-8-22	07	080S	220E	4304733813	17123	Federal	GW	P	
WV 12W-8-8-22	08	080S	220E	4304733815	17123	Federal	GW	P	
WV 14W-7-8-22	07	080S	220E	4304733816	17123	Federal	GW	P	
WV 16W-7-8-22	07	080S	220E	4304733817	17123	Federal	GW	P	
WV 6W-7-8-22	07	080S	220E	4304733828	17123	Federal	GW	P	
WV 6W-18-8-22	18	080S	220E	4304733842	17123	Federal	GW	P	
WV 6WC-18-8-22	18	080S	220E	4304733843	17123	Federal	GW	P	
WV 6WD-18-8-22	18	080S	220E	4304733844	17123	Federal	GW	P	
WV 5W-23-8-21	23	080S	210E	4304733860	17123	Federal	GW	P	
WV 7W-23-8-21	23	080S	210E	4304733861	17123	Federal	GW	P	
WV 8W-12-8-21	12	080S	210E	4304733862	17123	Federal	GW	P	
WV 10W-12-8-21	12	080S	210E	4304733863	17123	Federal	GW	P	
WV 14W-12-8-21	12	080S	210E	4304733864	17123	Federal	GW	P	
WV 16W-12-8-21	12	080S	210E	4304733865	17123	Federal	GW	P	
WV 1W-15-8-21	15	080S	210E	4304733902	17123	Federal	GW	S	
WV 1W-22-8-21	22	080S	210E	4304733903	17123	Federal	GW	S	
WV 1W-23-8-21	23	080S	210E	4304733904	17123	Federal	GW	P	
WV 6W-11-8-21	11	080S	210E	4304733906	17123	Federal	GW	P	
WV 7W-24-8-21	24	080S	210E	4304733908	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S	210E	4304733911	17123	Federal	GW	P	
WV 13W-11-8-21	11	080S	210E	4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	210E	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S	210E	4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15	080S	210E	4304733917	17123	Federal	GW	P	
WV 5W-14-8-21	14	080S	210E	4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	080S	210E	4304733955	17123	Federal	GW	P	
WV 8W-11-8-21	11	080S	210E	4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S	210E	4304733958	17123	Federal	GW	P	
WV 9W-15-8-21	15	080S	210E	4304733959	17123	Federal	GW	P	
WV 12W-13-8-21	13	080S	210E	4304733961	17123	Federal	GW	P	
WV 14W-13-8-21	13	080S	210E	4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14	080S	210E	4304733963	17123	Federal	GW	P	
WV 2W-18-8-22	18	080S	220E	4304733986	17123	Federal	GW	P	
WV 8W-18-8-22	18	080S	220E	4304733989	17123	Federal	GW	P	
WV 10W-18-8-22	18	080S	220E	4304733991	17123	Federal	GW	P	
WV 12W-18-8-22	18	080S	220E	4304733993	17123	Federal	GW	S	
WV 14W-18-8-22	18	080S	220E	4304733995	17123	Federal	GW	P	
WV 8W-1-8-21	01	080S	210E	4304734009	17123	Federal	GW	OPS	C
WV 4W-17-8-22	17	080S	220E	4304734038	17123	Federal	GW	P	
WV 12G-1-8-21	01	080S	210E	4304734108	5265	Federal	OW	TA	
WV 2W-14-8-21	14	080S	210E	4304734140	17123	Federal	GW	P	
GH 2W-21-8-21	21	080S	210E	4304734141	17123	Federal	GW	P	
WV 2W-23-8-21	23	080S	210E	4304734142	17123	Federal	GW	P	
WV 3W-21-8-21	21	080S	210E	4304734143	17123	Federal	GW	P	
WV 4W-13-8-21	13	080S	210E	4304734144	17123	Federal	GW	P	
WV 4W-21-8-21	21	080S	210E	4304734145	17123	Federal	GW	P	
WV 4W-22-8-21	22	080S	210E	4304734146	17123	Federal	GW	P	
WV 16W-11-8-21	11	080S	210E	4304734155	5265	Federal	GW	P	
WV 3W-19-8-22	19	080S	220E	4304734187	17123	Federal	GW	P	
WV 4W-23-8-21	23	080S	210E	4304734188	17123	Federal	GW	P	
WV 6W-23-8-21	23	080S	210E	4304734189	17123	Federal	GW	S	
WV 2W-15-8-21	15	080S	210E	4304734242	17123	Federal	GW	P	
WV 2W-22-8-21	22	080S	210E	4304734243	17123	Federal	GW	P	
WV 4W-14-8-21	14	080S	210E	4304734244	17123	Federal	GW	S	
WV 6W-12-8-21	12	080S	210E	4304734245	5265	Federal	GW	TA	
WV 7W-15-8-21	15	080S	210E	4304734246	17123	Federal	GW	P	
WV 8W-15-8-21	15	080S	210E	4304734247	17123	Federal	GW	P	
WV 12W-12-8-21	12	080S	210E	4304734248	17123	Federal	GW	TA	
WV 14W-15-8-21	15	080S	210E	4304734249	17123	Federal	GW	P	
WV 16W-10-8-21	10	080S	210E	4304734250	17123	Federal	GW	P	
WV 16W-15-8-21	15	080S	210E	4304734251	17123	Federal	GW	P	
WV 3W-12-8-21	12	080S	210E	4304734267	17123	Federal	GW	OPS	C
WV 4D-12-8-21	12	080S	210E	4304734268	17123	Federal	GW	OPS	C
WV 6W-14-8-21	14	080S	210E	4304734271	17123	Federal	GW	S	
WV 9W-11-8-21	11	080S	210E	4304734274	17123	Federal	GW	OPS	C
WV 10W-14-8-21	14	080S	210E	4304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	4304734277	17123	Federal	GW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
WONSITS VALLEY
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
WV 12W-14-8-21	14	080S	210E	4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S	210E	4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14	080S	210E	4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10	080S	210E	4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13	080S	210E	4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12	080S	210E	4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12	080S	210E	4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10	080S	210E	4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15	080S	210E	4304737927	17123	Federal	GW	P	
WV 11AD-14-8-21	14	080S	210E	4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24	080S	210E	4304738663	17123	Federal	GW	P	
WV 2ML-24-8-21	24	080S	210E	4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14	080S	210E	4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24	080S	210E	4304738970		Federal	GW	APD	C
WV 7AML-12-8-21	12	080S	210E	4304739035		Federal	GW	APD	C
WV 14BML-12-8-21	12	080S	210E	4304739036		Federal	GW	APD	C
WV 14B-13-8-21	13	080S	210E	4304739037		Federal	GW	APD	C
WV 4B-14-8-21	14	080S	210E	4304739038		Federal	GW	APD	C
WV 13A-15-8-21	15	080S	210E	4304739039	17123	Federal	GW	P	
WV 8D-15-8-21	15	080S	210E	4304739040	17123	Federal	GW	P	
WV 4BD-23-8-21	23	080S	210E	4304739041	17123	Federal	GW	P	
WV 7CML-11-8-21	11	080S	210E	4304739042		Federal	GW	APD	C
WV 7BD-23-8-21	23	080S	210E	4304739044	17123	Federal	GW	P	
WV 2CML-7-8-22	07	080S	220E	4304739155		Federal	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)	08	080S	220E	4304739321	17123	Federal	GW	P	
WV 2B-22-8-21	22	080S	210E	4304740262		Federal	GW	APD	C
WV 8D-22-8-21	22	080S	210E	4304740263		Federal	GW	APD	C
WV 7A-24-8-21	24	080S	210E	4304740331		Federal	GW	APD	C



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office

From: Chief, Branch of Minerals

Roya L Bankert

Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the ~~Eastern States~~ Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MIN. (DGM)